Latest collections
and upgrades

:Fabbian










Due punti,
va in scena
la luce.

Two points,
the light
comes on.

fabbian.com

Pendant	10	Acustica
	18	Akoya
	22	Brotas
	28	Dome
	34	Etnia
	40	Light Glide
	44	Lumi Tech
	50	Multispot Ari
	56	Multispot Lumi
	64	Olympic
	70	Oru
	76	Posillipo
	84	Santo
	96	XY&Z
Table	102	Brotas
	106	Làmpara
	110	Olympic
	114	Plana
Floor	120	Bungee
	124	Posillipo
	128	Rìo
	132	Santo
Wall	138	Acustica
	144	Akoya
	148	Comet
	152	Lancetta
	156	Santo
Wall/Ceiling	162	Metro
	168	Olympic
	172	Posillipo



Pendant

10 Acustica
18 Akoya
22 Brotas
28 Dome
34 Etnia
40 Light Glide
44 Lumi Tech
50 Multispot Ari
56 Multispot Lumi
64 Olympic
70 Oru
76 Posillipo
84 Santo
96 XY&Z

Acustica F58

Gio Minelli &
Marco Fossati
2021





Family Pendant
Wall → pg. 138

Ispirato ad un piatto della batteria, il grande e sottile paralume di Acustica ne ribalta il concetto, assorbendo le onde sonore ambientali e creando un elevato comfort acustico. La sua posizione naturalmente inclinata e la leggerezza del paralume, permette di avere composizioni di lampade dinamiche e creative. La fonte luminosa è centrale e fissa, Acustica è disponibile in più varianti colore.
È ideale per ambienti pubblici come ristoranti, uffici di lusso ma anche ampi spazi di attesa.

Acustica è una collezione per interno con proprietà di assorbimento acustico. La calotta in PET riciclato integra una struttura in alluminio anodizzato nero e un diffusore in PMMA opalino. Nella versione a sospensione è disponibile nei diametri 60, 90 e 120 cm. La sorgente LED dimmerabile è disponibile anche in versione UGR <19 per un elevato controllo dell'abbagliamento.

The wide, slim shape of the Acustica lampshade is inspired by the cymbal of a drum kit, but reverses the musical concept by absorbing sound from the space, to create a high level of acoustic comfort. Its naturally inclined angle, and its lightness, make possible dynamic and creative compositions of multiple lamps, whilst the light source itself remains central and fixed. Acustica is available in a range of colour variations, and is ideal for use in public spaces such as restaurants and luxury offices, as well as large waiting areas.


Acustica is an indoor collection featuring acoustic sound-absorbing properties. The recycled PET shade incorporates a black anodised aluminium structure and an opal PMMA diffuser. The pendant version is available in diameters of 60, 90 and 120 cm. The dimmable LED source is also available in a UGR <19 version, providing high glare control.

Dimension	Ø60cm, Ø90cm or Ø120cm
Materials	Recycled PET – Aluminium – PMMA
Light Source	LED 1x20W – 2700K/3000K – CRI 90+
Dimming	1..10V, DALI–PUSH or PHASE CUT 30%-100%
Finishes	White, Black, Ocean, Coral, Concrete, Lawn green, Honey

Acustica

F58

Pendant




LED 100-277V - 1x20W	F58 A71 01	White	3000K
3000K or 2700K (4000K by request)	F58 A71 02	Black	3000K
1604 lm, CRI 90+	F58 A71 06	Ocean	3000K
Dimm. 1..10V	F58 A71 32	Coral	3000K
IP40	F58 A71 37	Concrete	3000K
Net weight: 3,00 kg	F58 A71 43	Lawn green	3000K
	F58 A71 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A72 01	White	2700K
	F58 A72 02	Black	2700K
To order the UGR <19 version, insert	F58 A72 06	Ocean	2700K
UGR between the product code and	F58 A72 32	Coral	2700K
the finish code.	F58 A72 37	Concrete	2700K
F58A71 06 → F58A71 *UGR* 06	F58 A72 43	Lawn green	2700K
	F58 A72 47	Honey	2700K
LED 220-240V - 1x20W	F58 A81 01	White	3000K
3000K or 2700K (4000K by request)	F58 A81 02	Black	3000K
1604 lm, CRI 90+	F58 A81 06	Ocean	3000K
Dimm. DALI - PUSH	F58 A81 32	Coral	3000K
IP40	F58 A81 37	Concrete	3000K
Net weight: 3,00 kg	F58 A81 43	Lawn green	3000K
	F58 A81 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A82 01	White	2700K
	F58 A82 02	Black	2700K
To order the UGR <19 version, insert	F58 A82 06	Ocean	2700K
UGR between the product code and	F58 A82 32	Coral	2700K
the finish code.	F58 A82 37	Concrete	2700K
F58A81 06 → F58A91 *UGR* 06	F58 A82 43	Lawn green	2700K
	F58 A82 47	Honey	2700K
LED 220-240V - 1x20W	F58 A91 01	White	3000K
3000K or 2700K (4000K by request)	F58 A91 02	Black	3000K
1604 lm, CRI 90+	F58 A91 06	Ocean	3000K
Dimm. PHASE CUT 30%-100%	F58 A91 32	Coral	3000K
IP40	F58 A91 37	Concrete	3000K
Net weight: 3,00 kg	F58 A91 43	Lawn green	3000K
	F58 A91 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A92 01	White	2700K
	F58 A92 02	Black	2700K
To order the UGR <19 version, insert	F58 A92 06	Ocean	2700K
UGR between the product code and	F58 A92 32	Coral	2700K
the finish code.	F58 A92 37	Concrete	2700K
F58A91 06 → F58A91 *UGR* 06	F58 A92 43	Lawn green	2700K
	F58 A92 47	Honey	2700K



Acustica

F58

Pendant




LED 100-277V - 1x20W	F58 A11 01	White	3000K
3000K or 2700K (4000K by request)	F58 A11 02	Black	3000K
1604 lm, CRI 90+	F58 A11 06	Ocean	3000K
Dimm. 1..10V	F58 A11 32	Coral	3000K
IP40	F58 A11 37	Concrete	3000K
Net weight: 4,00 kg	F58 A11 43	Lawn green	3000K
	F58 A11 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A12 01	White	2700K
	F58 A12 02	Black	2700K
To order the UGR <19 version, insert	F58 A12 06	Ocean	2700K
UGR between the product code and	F58 A12 32	Coral	2700K
the finish code.	F58 A12 37	Concrete	2700K
F58A11 06 → F58A11 *UGR* 06	F58 A12 43	Lawn green	2700K
	F58 A12 47	Honey	2700K
LED 220-240V - 1x20W	F58 A21 01	White	3000K
3000K or 2700K (4000K by request)	F58 A21 02	Black	3000K
1604 lm, CRI 90+	F58 A21 06	Ocean	3000K
Dimm. DALI - PUSH	F58 A21 32	Coral	3000K
IP40	F58 A21 37	Concrete	3000K
Net weight: 4,00 kg	F58 A21 43	Lawn green	3000K
	F58 A21 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A22 01	White	2700K
	F58 A22 02	Black	2700K
To order the UGR <19 version, insert	F58 A22 06	Ocean	2700K
UGR between the product code and	F58 A22 32	Coral	2700K
the finish code.	F58 A22 37	Concrete	2700K
F58A21 06 → F58A21 *UGR* 06	F58 A22 43	Lawn green	2700K
	F58 A22 47	Honey	2700K
LED 220-240V - 1x20W	F58 A51 01	White	3000K
3000K or 2700K (4000K by request)	F58 A51 02	Black	3000K
1604 lm, CRI 90+	F58 A51 06	Ocean	3000K
Dimm. PHASE CUT 30%-100%	F58 A51 32	Coral	3000K
IP40	F58 A51 37	Concrete	3000K
Net weight: 4,00 kg	F58 A51 43	Lawn green	3000K
	F58 A51 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A52 01	White	2700K
	F58 A52 02	Black	2700K
To order the UGR <19 version, insert	F58 A52 06	Ocean	2700K
UGR between the product code and	F58 A52 32	Coral	2700K
the finish code.	F58 A52 37	Concrete	2700K
F58A51 06 → F58A51 *UGR* 06	F58 A52 43	Lawn green	2700K
	F58 A52 47	Honey	2700K

Acustica

F58

Pendant




LED 100-277V - 1x20W	F58 A31 01	White	3000K
3000K or 2700K (4000K by request)	F58 A31 02	Black	3000K
1604 lm, CRI 90+	F58 A31 06	Ocean	3000K
Dimm. 1..10V	F58 A31 32	Coral	3000K
IP40	F58 A31 37	Concrete	3000K
Net weight: 6,00 kg	F58 A31 43	Lawn green	3000K
	F58 A31 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A32 01	White	2700K
	F58 A32 02	Black	2700K
To order the UGR <19 version, insert	F58 A32 06	Ocean	2700K
UGR between the product code and	F58 A32 32	Coral	2700K
the finish code.	F58 A32 37	Concrete	2700K
F58A31 06 → F58A31 *UGR* 06	F58 A32 43	Lawn green	2700K
	F58 A32 47	Honey	2700K
LED 220-240V - 1x20W	F58 A41 01	White	3000K
3000K or 2700K (4000K by request)	F58 A41 02	Black	3000K
1604 lm, CRI 90+	F58 A41 06	Ocean	3000K
Dimm. DALI - PUSH	F58 A41 32	Coral	3000K
IP40	F58 A41 37	Concrete	3000K
Net weight: 6,00 kg	F58 A41 43	Lawn green	3000K
	F58 A41 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A42 01	White	2700K
	F58 A42 02	Black	2700K
To order the UGR <19 version, insert	F58 A42 06	Ocean	2700K
UGR between the product code and	F58 A42 32	Coral	2700K
the finish code.	F58 A42 37	Concrete	2700K
F58A41 06 → F58A41 *UGR* 06	F58 A42 43	Lawn green	2700K
	F58 A42 47	Honey	2700K
LED 220-240V - 1x20W	F58 A61 01	White	3000K
3000K or 2700K (4000K by request)	F58 A61 02	Black	3000K
1604 lm, CRI 90+	F58 A61 06	Ocean	3000K
Dimm. PHASE CUT 30%-100%	F58 A61 32	Coral	3000K
IP40	F58 A61 37	Concrete	3000K
Net weight: 6,00 kg	F58 A61 43	Lawn green	3000K
	F58 A61 47	Honey	3000K
Included: LED, Dimmable electronic driver	F58 A62 01	White	2700K
	F58 A62 02	Black	2700K
To order the UGR <19 version, insert	F58 A62 06	Ocean	2700K
UGR between the product code and	F58 A62 32	Coral	2700K
the finish code.	F58 A62 37	Concrete	2700K
F58A61 06 → F58A61 *UGR* 06	F58 A62 43	Lawn green	2700K
	F58 A62 47	Honey	2700K

Catalogue




01 White · 02 Black · 06 Ocean · 32 Coral · 37 Concrete · 43 Lawn green · 47 Honey

Upon request:
more than 50 finishes available



Akoya
F61

Filippo Protasoni
2021



Family Pendant

Wall → pg. 144

Akoya nasce dall'evoluzione geometrica della circonferenza, che prima si fa superficie bidimensionale – il cerchio, e poi volume tridimensionale – la sfera. Dall'interazione di queste due geometrie si sviluppa l'immagine di una conchiglia che custodisce una pregiata perla luminosa al suo interno. Proprio come le perle, simbolo di perfezione e conosciute per il loro notevole grado di lucentezza, anche la collezione di lampade Akoya dimostra la sua naturale semplicità e la capacità di dialogare con il contesto architettonico in cui si trovano.

La versione a sospensione è disponibile con diametro 30cm o 60cm. È realizzata da due dischi metallici in finitura ad effetto raggrinzato, che contengono un diffusore in vetro soffiato. La sorgente luminosa è a LED ad alta efficienza con alimentatore integrato nel rosone, dimmerabile 1..10V, DALI o ON/OFF.

Akoya was born from the geometric evolution of the circumference, which first became a two–dimensional surface – the circle – and then a three–dimensional volume – the sphere. The interaction of these two geometries gave rise to the image of a shell housing a precious luminous pearl inside. Just like pearls, a symbol of perfection and known for their remarkable lustre, the Akoya collection also showcases its natural simplicity and ability to reflect its architectural environment.


The pendant version is available in 30 cm or 60 cm diameters. It consists of two metal discs with a textured, wrinkle-effect finish, enclosing a blown glass diffuser. The light source is a high-efficiency LED with driver integrated into the ceiling canopy, available with 1–10V, DALI or ON/OFF dimming.

Dimension	Ø30cm or Ø60cm
Materials	Glass – Metal
Light Source	LED1x7W (Ø30cm) or 1x20W (Ø60cm) 2700K/3000K – CRI 90
Dimming	1..10V, DALI or ON/OFF
Finishes	White, Anthracite, Corten, Bronze

Akoya


F61

Pendant




LED 220-240V - 1x7W	F61 A11 01	White	3000K
3000K or 2700K (4000K by request)	F61 A11 21	Anthracite	3000K
622 lm, CRI 90	F61 A11 25	Corten	3000K
Dimm. 1..10V	F61 A11 76	Bronze	3000K
IP40	F61 A12 01	White	2700K
Net weight: 3,38 kg	F61 A12 21	Anthracite	2700K
	F61 A12 25	Corten	2700K
Included: LED, Dimmable electronic driver	F61 A12 76	Bronze	2700K
LED 220-240V - 1x7W	F61 A21 01	White	3000K
3000K or 2700K (4000K by request)	F61 A21 21	Anthracite	3000K
622 lm, CRI 90	F61 A21 25	Corten	3000K
Dimm. DALI	F61 A21 76	Bronze	3000K
IP40	F61 A22 01	White	2700K
Net weight: 3,38 kg	F61 A22 21	Anthracite	2700K
	F61 A22 25	Corten	2700K
Included: LED, Dimmable electronic driver	F61 A22 76	Bronze	2700K
LED 220-240V - 1x7W	F61 A31 01	White	3000K
3000K or 2700K (4000K by request)	F61 A31 21	Anthracite	3000K
622 lm, CRI 90	F61 A31 25	Corten	3000K
Dimm. ON/OFF	F61 A31 76	Bronze	3000K
IP40	F61 A32 01	White	2700K
Net weight: 3,38 kg	F61 A32 21	Anthracite	2700K
	F61 A32 25	Corten	2700K
Included: LED, Driver	F61 A32 76	Bronze	2700K

Pendant



LED 220-240V - 1x20W	F61 A61 01	White	3000K
3000K or 2700K (4000K by request)	F61 A61 21	Anthracite	3000K
1780 lm, CRI 90	F61 A61 25	Corten	3000K
Dimm. 1..10V	F61 A61 76	Bronze	3000K
IP40	F61 A62 01	White	2700K
Net weight: 12,00 kg	F61 A62 21	Anthracite	2700K
	F61 A62 25	Corten	2700K
Included: LED, Dimmable electronic driver	F61 A62 76	Bronze	2700K
LED 220-240V - 1x20W	F61 A71 01	White	3000K
3000K or 2700K (4000K by request)	F61 A71 21	Anthracite	3000K
1780 lm, CRI 90	F61 A71 25	Corten	3000K
Dimm. DALI	F61 A71 76	Bronze	3000K
IP40	F61 A72 01	White	2700K
Net weight:12,00 kg	F61 A72 21	Anthracite	2700K
	F61 A72 25	Corten	2700K
Included: LED, Dimmable electronic driver	F61 A72 76	Bronze	2700K
LED 220-240V - 1x20W	F61 A81 01	White	3000K
3000K or 2700K (4000K by request)	F61 A81 21	Anthracite	3000K
1780 lm, CRI 90	F61 A81 25	Corten	3000K
Dimm. ON/OFF	F61 A81 76	Bronze	3000K
IP40	F61 A82 01	White	2700K
Net weight: 12,00 kg	F61 A82 21	Anthracite	2700K
	F61 A82 25	Corten	2700K
Included: LED, Driver	F61 A82 76	Bronze	2700K

Catalogue



01 White · 21 Anthracite · 25 Corten · 76 Bronze

Upon request:
other finishes available



Brotas
F73

Estudio Campana
2025



Family Pendant

Table → pg. 102

Estudio Campana (San Paolo) presenta Brotas, una lampada che unisce vetro soffiato e rami naturali, esprimendo il linguaggio ibrido che caratterizza il lavoro dello studio. Ispirata ai ricordi d'infanzia di Humberto Campana a Brotas, la cittadina dello stato di San Paolo dove è cresciuto, la collezione evoca il suo profondo legame con la natura, traducendo la poesia di quei ricordi in un design che celebra la natura e la trasformazione.

La sospensione della collezione Brotas è disponibile con o senza ramo naturale. Il diffusore è in vetro bianco lucido, soffiato su stampo dai mastri vetrai e poi deformato artigianalmente rendendolo unico ed esclusivo. L'elettrificazione è a tensione di rete per lampadine LED.

Estudio Campana (São Paulo) presents Brotas, a lamp that combines blown glass and natural branches, expressing the hybrid language that characterizes the studio's work. Inspired by Humberto Campana's childhood memories of Brotas, the town in the state of São Paulo where he grew up, the collection evokes his deep connection with nature, translating the poetry of those memories into a design that celebrates nature and transformation.


Brotas pendant lamp is available with or without natural branch. The diffuser is made of glossy white glass, blown on a mould by master glassmakers and then deformed by artisanal craftsmanship, making it unique and exclusive. The electrification is mains voltage for LED lamps.

Dimension	Approx. L 40 x h.36
Materials	Glass – Natural hazel branch (Corylus avellana Contorta)
Light Source	E27 (max 150W)
Dimming	Phase cut 30%-100%
Finishes	Glossy white


Brotas

F73

Pendant	E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100% IP40 Net weight: 6 kg *Not included: Bulb*	F73 A01 01	White



Pendant	E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100% IP40 Net weight: 5,83 kg *Not included: Bulb*	F73 A11 01	White



Catalogue

01 White

Upon request:
other finishes available



Il ramo di nocciolo contorto (nome scientifico: Corylus avellana Contorta) viene sottoposto a un processo di stabilizzazione che ne blocca l'evoluzione naturale e ne preserva l'aspetto nel tempo.
In questo modo, l'elemento vegetale mantiene intatta la sua forma, il colore e il grado di maturazione raggiunto, trasformandosi in un dettaglio decorativo duraturo. Una volta stabilizzato, il ramo viene fissato al vetro mediante una vite, diventando parte integrante della lampada. Essendo realizzata artigianalmente in vetro e arricchita con elementi naturali, ogni lampada della collezione Brotas è un pezzo unico e può presentare lievi variazioni rispetto ai modelli mostrati in fotografia.

The twisted hazel branch (scientific name: Corylus avellana Contorta) is subjected to a stabilisation process that stops its natural evolution and preserves its appearance over time.
In this way, the plant element keeps its shape, colour and degree of ripeness intact, becoming a lasting decorative detail. Once stabilised, the branch is attached to the glass by a screw, becoming an integral part of the lamp. Each lamp in the Brotas collection is handcrafted from glass and enriched with natural elements. As a result, each lamp is unique and may differ from the models shown in the photograph.

Guarda il video della realizzazione del vetro della collezione Brotas: un viaggio nel cuore dell'artigianato italiano, dove mani esperte dei maestri vetrai danno vita a ogni pezzo con passione e tradizione. Un'opera d'arte fatta a mano, tutta italiana.

Watch the Brotas collection making of video – a fascinating journey into the heart of Italian craftsmanship, where expert hands of master glassmakers shape each piece with passion and tradition. An artwork, handmade in Italy.





Dome
F65

Alessandro Di Prisco
2022

Family Pendant

Ispirato agli elementi architettonici, Dome è un sistema di illuminazione modulare a sospensione in cui ogni corpo lampada è collegato al successivo mediante un arco, creando una sequenza di volte che, insieme alla luce, disegna e definisce lo spazio circostante. La possibilità di combinare liberamente i moduli permette di sviluppare composizioni di qualsiasi lunghezza e configurazione, adattandosi a spazi e progetti differenti. L'aggregazione di più elementi dà vita a vere e proprie architetture luminose, capaci di caratterizzare anche ambienti di grandi dimensioni con una presenza scenica distintiva.

La collezione Dome presenta un punto luce per interno e da un arco di 1 metro, realizzati in alluminio e ferro verniciati nelle finiture nero o oro. La sorgente LED, ad alta efficienza, è disponibile in versione dimmerabile DALI, PUSH o 1–10V, con alimentatore integrato.

Inspired by architectural elements, Dome is a modular pendant lighting system in which each light fixture is connected to the next by an arch, creating a sequence of vaults that, together with the light, shapes and defines the surrounding space. The possibility of freely combining the modules allows compositions of any length and configuration to be created, adapting to different spaces and projects. The combination of multiple elements gives rise to true luminous architectures, capable of defining even large-scale environments with a distinctive visual presence.


The Dome collection includes an indoor light module and a 1-metre arch, made of aluminium and iron with black or gold painted finishes. The high-efficiency LED source is available with DALI, PUSH or 1–10V dimming, with integrated driver.

Dimension	Ø5,5cm x h. 13cm
Materials	Aluminium – Iron
Light Source	LED1x7W – 2700K/3000K – CRI 90
Dimming	DALI PUSH 1..10V
Finishes	Black, Gold

Dome


F65

Pendant




LED 230Vac - 3x7W	F65 A11 ST 02	Black	3000K 15°
3000K or 2700K (4000K by request)	F65 A11 LT 02	Black	3000K45°
3x920 lm, CRI 90	F65 A11 ST 12	Gold	3000K 15°
Dimm. DALI PUSH 1..10V	F65 A11 LT 12	Gold	3000K45°
IP20	F65 A12 ST 02	Black	2700K 15°
Net weight: 3,45 kg	F65 A12 LT 02	Black	2700K45°
	F65 A12 ST 12	Gold	2700K 15°
Included: 3 spots with integrated LED, 3 arcs, canopy with dimmable electronic driver	F65 A12 LT 12	Gold	2700K45°

Pendant




LED 230Vac - 4x7W	F65 A11 SQ 02	Black	3000K 15°
3000K or 2700K (4000K by request)	F65 A11 LQ 02	Black	3000K45°
4x920 lm, CRI 90	F65 A11 SQ 12	Gold	3000K 15°
Dimm. DALI PUSH 1..10V	F65 A11 LQ 12	Gold	3000K45°
IP20	F65 A12 SQ 02	Black	2700K 15°
Net weight: 4,30 kg	F65 A12 LQ 02	Black	2700K45°
	F65 A12 SQ 12	Gold	2700K 15°
Included: 4 spots with integrated LED, 4 arcs, canopy with dimmable electronic driver	F65 A12 LQ 12	Gold	2700K45°



Dome

F65

Pendant



LED 230Vac - 6x7W	F65 A11 SR 02	Black	3000K 15°
3000K or 2700K (4000K by request)	F65 A11 LR 02	Black	3000K45°
6x920 lm, CRI 90	F65 A11 SR 12	Gold	3000K 15°
Dimm. DALI PUSH 1..10V	F65 A11 LR 12	Gold	3000K45°
IP20	F65 A12 SR 02	Black	2700K 15°
Net weight: 6,60 kg	F65 A12 LR 02	Black	2700K45°
	F65 A12 SR 12	Gold	2700K 15°
Included: 6 spots with integrated LED, 6 arcs, canopy with dimmable electronic driver	F65 A12 LR 12	Gold	2700K45°


Catalogue



02 Black 12 Gold


Upon request:
other finishes available

Spot Light




LED 24Vdc - 1x7W	F65 L11 S 02	Black	3000K 15°
3000K or 2700K (4000K by request)	F65 L11 L 02	Black	3000K45°
920 lm, CRI 90	F65 L11 S 12	Gold	3000K 15°
Dimm. Dimmable	F65 L11 L 12	Gold	3000K45°
IP20	F65 L12 S 02	Black	2700K 15°
Net weight: 0,70 kg	F65 L12 L 02	Black	2700K45°
	F65 L12 S 12	Gold	2700K 15°
Included: LED	F65 L12 L 12	Gold	2700K45°

Canopy




DALI - PUSH - 1..10V	F65 M01 02	Black
IP20	F65 M01 12	Gold
Net weight: 0,9 kg		
Included: Dimmable electronic driver		
Not included: Spots		
Note: Max 4 spots		

Canopy



DALI - PUSH - 1..10V	F65 M02 02	Black
IP20	F65 M02 12	Gold
Net weight: 1,5 kg		
Included: Dimmable electronic driver		
Not included: Spots		
Note: Max 6 spots		

Arch



Net weight: 0,15 kg	F65 K00 02	Black
	F65 K00 12	Gold
Not included: Spots		

Etnia
F68

Gio Minelli &
Marco Fossati
2023



Family Pendant

Etnia riflette sul concetto di comunità e affinità, è infatti un sistema composto da un elemento lineare ed essenziale, a luce diretta e indiretta, e da pannelli intercambiabili sospesi tra due profili di alluminio. I pannelli di Etnia sono realizzati in materiale fonoassorbente, i cui colori e texture creano un'interazione con la luce, conferendole dinamicità, in una perfetta sintesi tra il mondo tecnico e quello decorativo.

Etnia è una sospensione per interno con proprietà di assorbimento acustico che si compone da pannelli in PET riciclato e da una struttura in alluminio anodizzato nero con diffusore in PMMA opalino superiore e diffusore in PMMA micro-prismatizzato inferiore. La sorgente LED è disponibile in versione ON OFF, oppure con doppio controllo del flusso uplight e downlight con sistemi PUSH, 1..10V, DALI o taglio di fase. L'alimentatore è integrato e tutte le versioni sono ad alta efficienza e flicker-free.

Etnia explores the concept of community and affinity. It is a system composed of a linear, essential element providing direct and indirect light, and interchangeable panels suspended between two aluminium profiles. The panels are made of sound-absorbing material, whose colours and textures interact with the light, adding dynamism and creating a perfect synthesis between the technical and decorative worlds.


Etnia is an indoor pendant with acoustic sound-absorbing properties, consisting of panels made of recycled PET and a black anodised aluminium structure with an upper opal PMMA diffuser and a lower micro-prismatic PMMA diffuser. The LED source is available in an ON/OFF version, or with independent control of the uplight and downlight through PUSH, 1–10V, DALI or phase-cut dimming systems. The driver is integrated; all versions are high-efficiency and flicker-free.

Dimension	L 90cm or L 150cm x h. 46cm
Materials	Recycled PET – Aluminium – PMMA
Light Source	LED 2x35W (L 900mm), LED 2x58W (L 1500mm) 2700K/3000K – CRI 90+
Dimming	ON/OFF, Push – 1..10V – DALI, Phase cut
Finishes	Strawberry red, Sand beige, Blue jeans, Mustard, Reseda green, Light grey

Etnia

F68

Pendant



LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. ON/OFF IP40 Net weight: 4,50 kg *Included: LED*	F68 A01 03	Strawberry red	3000K
	F68 A01 16	Sand beige	3000K
	F68 A01 31	Blue jeans	3000K
	F68 A01 36	Mustard	3000K
	F68 A01 43	Reseda green	3000K
	F68 A01 75	Light grey	3000K
	F68 A02 03	Strawberry red	2700K
	F68 A02 16	Sand beige	2700K
	F68 A02 31	Blue jeans	2700K
	F68 A02 36	Mustard	2700K
	F68 A02 43	Reseda green	2700K
	F68 A02 75	Light grey	2700K
	F68 A03 03	Strawberry red	4000K
	F68 A03 16	Sand beige	4000K
	F68 A03 31	Blue jeans	4000K
	F68 A03 36	Mustard	4000K
	F68 A03 43	Reseda green	4000K
	F68 A03 75	Light grey	4000K
LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. PHASE CUT 30%-100% IP40 Net weight: 4,50 kg *Included: LED, Dimmable electronic driver*	F68 A31 03	Strawberry red	3000K
	F68 A31 16	Sand beige	3000K
	F68 A31 31	Blue jeans	3000K
	F68 A31 36	Mustard	3000K
	F68 A31 43	Reseda green	3000K
	F68 A31 75	Light grey	3000K
	F68 A32 03	Strawberry red	2700K
	F68 A32 16	Sand beige	2700K
	F68 A32 31	Blue jeans	2700K
	F68 A32 36	Mustard	2700K
	F68 A32 43	Reseda green	2700K
	F68 A32 75	Light grey	2700K
	F68 A33 03	Strawberry red	4000K
	F68 A33 16	Sand beige	4000K
	F68 A33 31	Blue jeans	4000K
	F68 A33 36	Mustard	4000K
	F68 A33 43	Reseda green	4000K
	F68 A33 75	Light grey	4000K
LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. PUSH 1..10V DALI IP40 Net weight: 4,50 kg *Included: LED, Dimmable electronic driver*	F68 A21 03	Strawberry red	3000K
	F68 A21 16	Sand beige	3000K
	F68 A21 31	Blue jeans	3000K
	F68 A21 36	Mustard	3000K
	F68 A21 43	Reseda green	3000K
	F68 A21 75	Light grey	3000K
	F68 A22 03	Strawberry red	2700K
	F68 A22 16	Sand beige	2700K
	F68 A22 31	Blue jeans	2700K
	F68 A22 36	Mustard	2700K
	F68 A22 43	Reseda green	2700K
	F68 A22 75	Light grey	2700K
	F68 A23 03	Strawberry red	4000K
	F68 A23 16	Sand beige	4000K
	F68 A23 31	Blue jeans	4000K
	F68 A23 36	Mustard	4000K
	F68 A23 43	Reseda green	4000K
	F68 A23 75	Light grey	4000K






Etnia


F68

Pendant



LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. ON/OFF IP40 Net weight: 6,50 kg *Included: LED*	F68 A51 03	Strawberry red	3000K
	F68 A51 16	Sand beige	3000K
	F68 A51 31	Blue jeans	3000K
	F68 A51 36	Mustard	3000K
	F68 A51 43	Reseda green	3000K
	F68 A51 75	Light grey	3000K
	F68 A52 03	Strawberry red	2700K
	F68 A52 16	Sand beige	2700K
	F68 A52 31	Blue jeans	2700K
	F68 A52 36	Mustard	2700K
	F68 A52 43	Reseda green	2700K
	F68 A52 75	Light grey	2700K
	F68 A53 03	Strawberry red	4000K
	F68 A53 16	Sand beige	4000K
	F68 A53 31	Blue jeans	4000K
	F68 A53 36	Mustard	4000K
	F68 A53 43	Reseda green	4000K
	F68 A53 75	Light grey	4000K
LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. PHASE CUT 30%-100% IP40 Net weight: 6,50 kg *Included: LED, Dimmable electronic driver*	F68 A81 03	Strawberry red	3000K
	F68 A81 16	Sand beige	3000K
	F68 A81 31	Blue jeans	3000K
	F68 A81 36	Mustard	3000K
	F68 A81 43	Reseda green	3000K
	F68 A81 75	Light grey	3000K
	F68 A82 03	Strawberry red	2700K
	F68 A82 16	Sand beige	2700K
	F68 A82 31	Blue jeans	2700K
	F68 A82 36	Mustard	2700K
	F68 A82 43	Reseda green	2700K
	F68 A82 75	Light grey	2700K
	F68 A83 03	Strawberry red	4000K
	F68 A83 16	Sand beige	4000K
	F68 A83 31	Blue jeans	4000K
	F68 A83 36	Mustard	4000K
	F68 A83 43	Reseda green	4000K
	F68 A83 75	Light grey	4000K
LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. PUSH 1..10V DALI IP40 Net weight: 6,50 kg *Included: LED, Dimmable electronic driver*	F68 A71 03	Strawberry red	3000K
	F68 A71 16	Sand beige	3000K
	F68 A71 31	Blue jeans	3000K
	F68 A71 36	Mustard	3000K
	F68 A71 43	Reseda green	3000K
	F68 A71 75	Light grey	3000K
	F68 A72 03	Strawberry red	2700K
	F68 A72 16	Sand beige	2700K
	F68 A72 31	Blue jeans	2700K
	F68 A72 36	Mustard	2700K
	F68 A72 43	Reseda green	2700K
	F68 A72 75	Light grey	2700K
	F68 A73 03	Strawberry red	4000K
	F68 A73 16	Sand beige	4000K
	F68 A73 31	Blue jeans	4000K
	F68 A73 36	Mustard	4000K
	F68 A73 43	Reseda green	4000K
	F68 A73 75	Light grey	4000K

Catalogue



03 Strawberry red · 16 Sand beige · 31 Blue jeans · 36 Mustard · 43 Reseda green · 75 Light grey

Upon request:
other finishes available

Light Glide F57

Cory Grosser
2021



Family Pendant

Light Glide è una lampada a sospensione dal design esclusivo. A prima vista appare come un semplice apparecchio lineare, ma un sistema scorrevole consente di estenderne la lunghezza, raddoppiando l'area illuminata e modulando la luce in base alle esigenze. Unisce il carattere di un apparecchio architettonico a un'espressione decorativa, secondo il principio del "felice minimalismo".

Ideale sopra un tavolo da pranzo o da conferenza, può essere utilizzata anche in multipli per creare composizioni luminose. La caratteristica dell'UGR <19 ne consente l'impiego anche in uffici e ambienti dove è richiesto un elevato controllo dell'abbagliamento. Disponibile in alluminio anodizzato nero o verniciato bianco, con diffusori in PMMA opalino e prismatizzato. La sorgente LED ad alta efficienza è disponibile in versione ON OFF, oppure con il doppio controllo del flusso uplight e downlight, dimmerabile, con alimentatore integrato.

Light Glide is a pendant lamp with an exclusive design. At first glance, it appears as a simple linear fixture, but a sliding mechanism allows its length to be extended, doubling the illuminated area and adjusting the light according to specific needs. It combines the character of an architectural fixture with a decorative expression, embodying the principle of "happy minimalism".


Ideal above a dining or conference table, it can also be used in multiples to create striking light compositions. The UGR <19 makes it suitable for offices and environments where high glare control is required. Available in black anodised or white painted aluminium, with opal and prismatic PMMA diffusers.
The high-efficiency LED source is available in either an ON/OFF version, or with double control of the uplight and downlight flux, dimmable and features an integrated driver.

Dimension	L 117,5cm (open L 227cm) x h. 3,8cm
Materials	Aluminium – PMMA
Light Source	LED 1x53W or 1x149W – 3000K/4000K – CRI 90+
Dimming	ON/OFF, PUSH – 1..10V – DALI , PHASE CUT 30-100%
Finishes	White, Black

Light Glide

F57


Pendant



LED 110-230V - 1x53W	F57 A51 01	White	3000K
3000K or 4000K	F57 A51 02	Black	3000K
1336 (UP) + 1969 (DOWN) lm, CRI 90+	F57 A53 01	White	4000K
URG<19	F57 A53 02	Black	4000K
IP40			
Net weight: 2,80 kg			

Incluso: LED, Driver

Pendant



LED 110-230V - 1x159W	F57 A01 01	White	3000K
3000K or 4000K	F57 A01 02	Black	3000K
4100 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A03 01	White	4000K
Dimm. ON/OFF	F57 A03 02	Black	4000K
URG<19			
IP40			
Net weight: 7,70 kg			

Incluso: LED, Driver

LED 220-240V - 1x159W	F57 A31 01	White	3000K
3000K or 4000K	F57 A31 02	Black	3000K
5909 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A33 01	White	4000K
Dimm. PHASE CUT 30%-100%	F57 A33 02	Black	4000K
(up/ down independent)			
URG<19			
IP40			
Net weight: 7,70 kg			

Included: LED, Dimmable electronic driver

LED 220-240V - 1x159W	F57 A21 01	White	3000K
3000K or 4000K	F57 A21 02	Black	3000K
5909 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A23 01	White	4000K
Dimm. PUSH 1..10V DALI	F57 A23 02	Black	4000K
(up/down independent)			
URG<19			
IP40			
Net weight: 7,70 kg			


Included: LED, Dimmable electronic driver

Catalogue

01 White

02 Black

Upon request:
other finishes available



Lumi Tech
F66

Alberto Saggia &
Valerio Sommella
2021



Family Pendant

I designer Saggia&Sommella reinterpretano la tradizionale forma sferica attraverso Lumi, una collezione di lampade dalle forme morbide e delicate: Baka, Mochi, Poga, Sfera e White. I diffusori sono realizzati in vetro soffiato bianco con finitura satinata. Il nome Lumi richiama il “lume” italiano e la “neve” finlandese, evocando la luce e la morbidezza delle forme.

Alla versione con portalampada per lampadine retrofit e a quella con modulo LED a 230V dimmerabile TRIAC si aggiunge Lumi Tech, con sorgente LED a 24Vdc compatibile con i sistemi digitali di dimmerazione.
Il driver può essere integrato nel rosone o installato a distanza, offrendo maggiore flessibilità progettuale e installativa.

The designers Saggia&Sommella reinterpret the traditional spherical form through Lumi, a collection of lamps characterised by soft, delicate shapes: Baka, Mochi, Poga, Sfera and White. The diffusers are made of white blown glass with a satin finish. The name Lumi evokes the Italian word “lume” and the Finnish word for “snow”, reflecting both the light and the softness of the forms.

Alongside the version with a lampholder for retrofit bulbs and the 230V LED module with TRIAC dimming, the collection now includes Lumi Tech, featuring a 24Vdc LED source compatible with digital dimming systems. The driver can be integrated into the canopy or installed remotely, providing greater flexibility in both design and installation.


Dimension	Various, ranging from 9cm to 60cm
Materials	Metal – Glass
Light Source	LED 24Vdc - 1x7W (small sizes) or 1X20W (large sizes)
Dimming	1..10V, DALI, PUSH
Finishes	White

Lumi Tech

F66

Small sizes

Canopy	LED 24Vdc-1x7W 2700K or 3000K 701|m *Not included: Glass* *Note: Remote driver*	F66 L01S 01 F66 L02S 01	White White	2700K 3000K



Canopy	LED 230Vac- 1x7W 2700K or 3000K Dimm. DALI-PUSH 701|m *Not included: Glass* *Note: Canopy with built-in driver*	F66 L21 S 01 F66 L22 S 01	White White	2700K 3000K



Glass Option	Lumi Mochi	F07 A05V 01 	F07 B01V 01
	Lumi Sfera	F07 A17V 01 	F07A19V 01

Rosone con driver integrato
Ceiling Canopy with built-in driver





Lumi Tech

F66

Large sizes

Canopy		LED 24Vdc - 1x20W 2700K or 3000K 1680 lm *Not included: Glass* *Note: Remote driver*	F66 L11S 01 F66 L12S 01	White White	2700K 3000K
Canopy		LED 230Vac - 1x20W 2700K or 3000K Dimm. DALI -PUSH 1680 lm *Not included: Glass* *Note: Canopy with built-in driver*	F66 L31S 01 F66 L32S 01	White White	2700K 3000K
Glass Option	Lumi Baka	F07 A15V 01			
	Lumi Mochi	F07 A07V 01	F07 A01V 01	F07 A03V 01	
	Lumi Poga	F07 A13V 01			
	Lumi Sfera	F07 A21V 01	F07 A23V 01	F07 A25V 01	F07 A27V 01
	Lumi White	F07 A09V 01			

Catalogue

01 White

Upon request:
other finishes available

Multispot Ari F55

Marco Spatti &
Marco Pietro Ricci
2021



Family Pendant

Progettato da Marco Spatti e Marco Pietro Ricci, Ari è un sistema di chandelier dal carattere modernista e decostruito, progettato per essere adattato e configurato a qualsiasi applicazione ed esigenza estetica.

Alla base del progetto vi è l'austero minimalismo del singolo elemento luminoso, da cui nasce il concept della collezione. Ari è proposto come un sistema configurabile su misura, che permette di scegliere tra 4 diverse altezze e un'ampia gamma di rosoni, per creare composizioni personalizzate. Le sorgenti LED a tensione di rete, integrate e incassate nella struttura, garantiscono un'illuminazione diretta. Dimmerabile con sistemi 1-10V, DALI o PUSH.

Designed by Marco Spatti and Marco Pietro Ricci, Ari is a modernist, deconstructed chandelier system that can be scaled and configured to any application and aesthetic.

Based on the austere minimalism of the single light source element, the origin of its design, Ari is offered as a custom configurable system. The system allows you to choose from 4 heights and a range of canopies to create your own compositions. Recessed line voltage LED lights provide direct illumination. Dimmable with 1..10V, DALI or PUSH dimming.

Dimension	30cm, 60cm, 90cm, 120cm Cable drop 1,5m, 2,5m, 4m, 10m.
Materials	Metal
Light Source	LED 24V – 1x2W
Dimming	1..10V, DALI, PUSH
Finishes	White, Black, Bronze

Multispot Ari


F55


System Ari	LED 24V - 1x2W 3000K 170 lm, CRI 80+ IP20 Net weight: 2,37 kg *Included: LED*	F55 L21 01	White	3000K	Cable 1,5m
		F55 L21 02	Black	3000K	Cable 1,5m
		F55 L21 76	Bronze	3000K	Cable 1,5m
		F55 L22 01	White	3000K	Cable 2,5m
		F55 L22 02	Black	3000K	Cable 2,5m
		F55 L22 76	Bronze	3000K	Cable 2,5m
		F55 L23 01	White	3000K	Cable 4m
		F55 L23 02	Black	3000K	Cable 4m
		F55 L23 76	Bronze	3000K	Cable 4m
		F55 L24 01	White	3000K	Cable 10m
		F55 L24 02	Black	3000K	Cable 10m
		F55 L24 76	Bronze	3000K	Cable 10m




System Ari	LED 24V - 1x2W 3000K 170 lm, CRI 80+ IP20 Net weight: 2,55 kg *Included: LED*	F55 L41 01	White	3000K	Cable 1,5m
		F55 L41 02	Black	3000K	Cable 1,5m
		F55 L41 76	Bronze	3000K	Cable 1,5m
		F55 L42 01	White	3000K	Cable 2,5m
		F55 L42 02	Black	3000K	Cable 2,5m
		F55 L42 76	Bronze	3000K	Cable 2,5m
		F55 L43 01	White	3000K	Cable 4m
		F55 L43 02	Black	3000K	Cable 4m
		F55 L43 76	Bronze	3000K	Cable 4m
		F55 L44 01	White	3000K	Cable 10m
		F55 L44 02	Black	3000K	Cable 10m
		F55 L44 76	Bronze	3000K	Cable 10m

System Ari	LED 24V - 1x2W 3000K 170 lm, CRI 80+ IP20 Net weight: 2,65 kg *Included: LED*	F55 L61 01	White	3000K	Cable 1,5m
		F55 L61 02	Black	3000K	Cable 1,5m
		F55 L61 76	Bronze	3000K	Cable 1,5m
		F55 L62 01	White	3000K	Cable 2,5m
		F55 L62 02	Black	3000K	Cable 2,5m
		F55 L62 76	Bronze	3000K	Cable 2,5m
		F55 L63 01	White	3000K	Cable 4m
		F55 L63 02	Black	3000K	Cable 4m
		F55 L63 76	Bronze	3000K	Cable 4m
		F55 L64 01	White	3000K	Cable 10m
		F55 L64 02	Black	3000K	Cable 10m
		F55 L64 76	Bronze	3000K	Cable 10m







Multispot Ari

F55

System
Ari

LED 24V - 1x2W
3000K
170 lm, CRI 80+
IP20
Net weight: 2,80 kg

Included: LED

F55 L81 01	White	3000K	Cable 1,5m
F55 L81 02	Black	3000K	Cable 1,5m
F55 L81 76	Bronze	3000K	Cable 1,5m
F55 L82 01	White	3000K	Cable 2,5m
F55 L82 02	Black	3000K	Cable 2,5m
F55 L82 76	Bronze	3000K	Cable 2,5m
F55 L83 01	White	3000K	Cable 4m
F55 L83 02	Black	3000K	Cable 4m
F55 L83 76	Bronze	3000K	Cable 4m
F55 L84 01	White	3000K	Cable 10m
F55 L84 02	Black	3000K	Cable 10m
F55 L84 76	Bronze	3000K	Cable 10m

Multispot Canopies → pg. 60

Catalogue

01 White

02 Black

76 Bronze

Upon request:
other finishes available

Multispot Lumi
F32

Alberto Saggia &
Valerio Sommella
2021



Lumi si evolve con una nuova declinazione dedicata alla composizione e alla progettazione dello spazio. I delicati diffusori in vetro delle versioni Mochi e Sfera, nelle dimensioni più piccole, diventano protagonisti di configurazioni multiple, dando vita a scenografiche cascate di luce. La versione Multispot consente di comporre fino a 30 punti luce con rosone standard e oltre, grazie a soluzioni custom. È inoltre disponibile nella versione da incasso, con rosone a scomparsa, per un risultato ancora più essenziale. Le sorgenti LED a 24Vdc sono dimmerabili, con driver integrato nel rosone o installabile a distanza, offrendo ampia libertà progettuale e flessibilità di installazione.

Family Pendant

Lumi evolves with a new interpretation dedicated to composition and spatial design. The delicate glass diffusers of the Mochi and Sfera versions, in their smaller sizes, become the centrepiece of multiple configurations, creating striking cascades of light. The Multispot version allows up to 30 light points to be combined with a standard canopy, and even more with custom solutions. It is also available as a recessed version with a concealed canopy, for an even more minimalist result. The 24Vdc LED sources are dimmable, with the driver integrated into the canopy or installed remotely, providing extensive design freedom and installation flexibility.


Dimension	Lumi Sfera Ø9cm – Lumi Mochi Ø12cm Cable drop 1,5m, 2,5m, 4m, 10m.
Materials	Metal – Glass
Light Source	LED 500mA – 1x2W
Dimming	1..10V, DALI, PUSH
Finishes	White

Multispot Lumi F32

System Lumi Mochi	LED 500mA -1x2W 3000K 155 lm, CRI 80+ IP44 Net weight: 0,23 kg *Included: LED*	F32 L81 01 F32 L82 01 F32 L83 01 F32 L84 01	White White White White	3000K 3000K 3000K 3000K	Cable 1,5m Cable 2,5m Cable 4m Cable 10m



System Lumi Sfera	LED 500mA -1x2W 3000K 155 lm, CRI 80+ IP44 Net weight: 0,25 kg *Included: LED*	F32 L71 01 F32 L72 01 F32 L73 01 F32 L74 01	White White White White	3000K 3000K 3000K 3000K	Cable 1,5m Cable 2,5m Cable 4m Cable 10m




Multispot Canopies → pg. 60





Catalogue

01 White






Upon request:
other finishes available



Multispot Canopies


Canopy 	PUSH 1..10V IP40 Net weight: 0,58 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for 1 spot. Holes and dimensions customization on request*	F32 M01 01	White	Round Canopy
Canopy 	PUSH 1..10V IP40 *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 5 spots. Holes and dimensions customization on request*	F32 M03 01	White	Round Canopy
Canopy 	PUSH 1..10V DALI IP40 Net weight: 2,255 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 10 spots. Holes and dimensions customization on request*	F32 M05 01	White	Round Canopy
Canopy 	PUSH 1..10V DALI IP40 Net weight: 3,585 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 20 spots. Holes and dimensions customization on request*	F32 M07 01	White	Round Canopy
Canopy 	PUSH 1..10V DALI IP40 Net weight: 5,075 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 30 spots. Holes and dimensions customization on request*	F32 M09 01	White	Round Canopy

Multispot Canopies


Canopy 	PUSH 1..10V IP40 Net weight: 0,695 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for 1 spot. Holes and dimensions customization on request*	F32 M21 01	White	Rectangular Canopy
Canopy 	PUSH 1..10V IP40 Net weight: 1,455 kg Included: Dimmable electronic driver *Not included: Spots* *Note: Canopy for max 5 spots. Holes and dimensions customization on request*	F32 M23 01	White	Rectangular Canopy
Canopy 	PUSH 1..10V DALI IP40 Net weight: 2,745 kg *Included: Dimmableelectronic driver* *Not included: Spots* *Note: Canopy for max 10 spots. Holes and dimensions customization on request*	F32 M25 01	White	Rectangular Canopy
Canopy 	PUSH 1..10V DALI IP40 Net weight: 4,15 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 20 spots. Holes and dimensions customization on request*	F32 M27 01	White	Rectangular Canopy
Canopy 	PUSH 1..10V DALI IP40 Net weight: 4,15 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 30 spots. Holes and dimensions customization on request*	F32 M29 01	White	Rectangular Canopy

Multispot Canopies

Canopy	PUSH 1..10V DALI IP40 Net weight: 9,17 kg *Included: Dimmable electronic driver* *Not included: Spots* *Note: Canopy for max 30 spots. Holes and dimensions customization on request*	F32 M41 01	White	Square Canopy



Canopy	IP40 Net weight: 0,085 kg *Not included: Spots, Remote driver* *Note: Twist & Lock recessed canopy*	F32 Z10 01	White	



Accessory	IP55 Net weight: 1,07 kg *Included: Driver* *Not included: Spots* *Note: Outdoor box for power supply. Max 10 spots, not* dimmable	F32 Z11		



Catalogue


01 White

Upon request:
other finishes available



Olympic
F45

Lorenzo Truant
2021



Family Pendant

Table → pg. 110
Wall/Ceiling → pg. 168

Un anello di luce ha il fascino olimpico di una forma aerea e conchiusa, a sé bastante. Un singolo anello permette di illuminare gli spazi proiettando la sua luce nello spazio come se agisse una forza centrifuga. Ma quando due o più anelli di luce si concatenano tra loro si forma una interdipendenza tra gli elementi luminosi che permette di creare una gerarchia di luci la quale rende lo spazio intellegibile. In questa grammatica della luce fatta di monosillabi circolari si possono creare olimpiche frasi negli ampi spazi del contemporaneo.

La sospensione Olympic ha un diffusore dal design molto semplice e moderno per adattarsi ai diversi stili di ambienti privati e pubblici. La struttura è in alluminio verniciato bianco o nero, o anodizzato bronzo, mentre il diffusore è in materiale plastico ideale per la luce LED integrata, perfetto per il tavolo della cucina o di una sala riunioni. Le lampade possono essere utilizzate singolarmente, ma anche essere intersecate tra di loro al fine di creare forme uniche.

A self-contained light ring with an aerial shape, inspired by the Olympic rings. A single ring can illuminate the environment by projecting its light as if moved by centrifugal force. When one or more light rings are connected to one another, the luminous sources interconnect creating a hierarchy of lights that clarifies the space. This light structure comprising circular blocks creates Olympic constructions in large contemporary spaces.


The pendant lamp Olympic has a diffusor with a simple and modern design, for this reason it can be easily placed in different spaces. The structure is in white or black painted aluminium, or bronze anodized, whereas the diffusor is in a plastic material suitable to enhance the integrated LED light output. The pendants can be used individually, but they can also be intersected among themselves in order to create unique shapes.

Dimension	Ø60cm, Ø80cm, Ø108cm, Ø138cm
Materials	Aluminium – Plastic
Light Source	LED 1x36W (Ø60cm), 1x48W (Ø80cm), 1x65W (Ø108cm), 1x83W (Ø138cm) 2700K/3000K – CRI 90+
Dimming	1..10V, DALI, PUSH
Finishes	White, Black, Bronze

Olympic

F45


Pendant



LED 220-240V - 1x36W	F45 A27 01	White	3000K
3000K or 2700K	F45 A27 02	Black	3000K
3260 lm, CRI 90+	F45 A27 76	Bronze	3000K
Dimm. PUSH 1..10V DALI	F45 A28 01	White	2700K
IP40	F45 A28 02	Black	2700K
Net weight: 2,00 kg	F45 A28 76	Bronze	2700K

Included: LED, Dimmable electronic driver


Pendant



LED 220-240V - 1x48W	F45 A21 01	White	3000K
3000K or 2700K	F45 A21 02	Black	3000K
4475 lm, CRI 90+	F45 A21 76	Bronze	3000K
Dimm. PUSH 1..10V DALI	F45 A22 01	White	2700K
IP40	F45 A22 02	Black	2700K
Net weight: 2,55 kg	F45 A22 76	Bronze	2700K

Included: LED, Dimmable electronic driver


Pendant



LED 220-240V - 1x65W	F45 A23 01	White	3000K
3000K or 2700K	F45 A23 02	Black	3000K
6120 lm, CRI 90+	F45 A23 76	Bronze	3000K
Dimm. PUSH 1..10V DALI	F45 A24 01	White	2700K
IP40	F45 A24 02	Black	2700K
Net weight: 3,20 kg	F45 A24 76	Bronze	2700K

Included: LED, Dimmable electronic driver

Pendant



LED 220-240V - 1x83W	F45 A25 01	White	3000K
3000K or 2700K	F45 A25 02	Black	3000K
7900 lm, CRI 90+	F45 A25 76	Bronze	3000K
Dimm. PUSH 1..10V DALI	F45 A26 01	White	2700K
IP40	F45 A26 02	Black	2700K
Net weight: 3,84 kg	F45 A26 76	Bronze	2700K

Included: LED, Dimmable electronic driver






Olympic

F45

Pendant



LED 220-240V - 1x196W	F45 A31 01	White	3000K
3000K or 2700K	F45 A31 02	Black	3000K
4475+6120+7900 lm, CRI 90+	F45 A31 76	Bronze	3000K
Dimm. PUSH 1..10V DALI	F45 A32 01	White	2700K
IP40	F45 A32 02	Black	2700K
Net weight: 8,27 kg	F45 A32 76	Bronze	2700K

Included: LED, Dimmable electronic driver
Note: Combination of three pendants

Catalogue




01 White 02 Black 02 Black

Upon request:
other finishes available

Oru
F25

Vim & Vigor
2014



Family Pendant

I designers Vim & Vigor si sono lasciati ispirare dal grande potenziale che sta alla base del mondo degli origami e così raccontano: “C’è qualcosa di magico nel trasformare un foglio di carta piatto, dandogli una forma completamente diversa, bella. Abbiamo pensato: non sarebbe interessante unire la tecnica del taglio e della piegatura ad una forma tradizionale di metallo tornito?”

La collezione comprende due tipologie di sospensioni per interno. La prima è caratterizzata da una forma asimmetrica e da un particolare foro ed è realizzata in metallo piegato, verniciato esternamente nelle finiture blu avio, verde salvia e testa di moro e internamente in tonalità crema. La seconda è una calotta semisferica in rame, realizzata in un unico pezzo, brunita esternamente e lucida internamente. L’elettrificazione è a tensione di rete per lampadine LED.

The designers Vim & Vigor drew inspiration from the great potential of the art of origami, as they themselves tell: “There is something quite magical in taking an ordinary flat sheet of paper and forming it into something completely different and beautiful. We thought “Wouldn’t it be really interesting to combine the cutting/folding technique with a traditional spun metal shape?”.


The Oru collection is made up of two types of hanging lamp for indoor use. The first, with an asymmetric shape and a particular hole, is in folded metal, painted on the outside in the new colours dusty blue, sage green and dark brown, off-white on the inside. The second, with its elegant, exquisite design, is a semi-spherical shade in copper, made in a single piece, burnished on the outside and polished on the inside. The lamp runs on mains power and is suitable for use with LED lamps.

Dimension	Ø37,5cm x h.43,2cm; Ø56cm x h.31,8cm. Oru Copper Ø80cm x h.45cm
Materials	Metal – Copper
Light Source	E27 LED 1-3 x 22W LED
Dimming	Phase cut
Finishes	Outside: Dusty blue, Sage green, Dark brown Inside: Oyster White Oru copper – Outside: Burnished natural copper Inside: Polished natural copper

Oru


F25

Pendant




E27 220-240V - 1x22W LED cod. A10231C01 Max Watt. 150W Dimm. PHASE CUT 30%-100% IP20 Net weight: 2,41 kg *Not included: Bulb*	F25 A01 26 F25 A01 29 F25 A01 31	Dark brown Sage green Dusty blue	inside color: oyster white inside color: oyster white inside color: oyster white

Pendant



E27 220-240V - 1x22W LED cod. A10231C01 Max Watt. 150W Dimm. PHASE CUT 30%-100% IP20 Net weight: 3,22 kg *Not included: Bulb*	F25 A03 26 F25 A03 29 F25 A03 31	Dark brown Sage green Dusty blue	inside color: oyster white inside color: oyster white inside color: oyster white

Pendant



E27 220-240V - 3x22W LED cod. A10231C01 Max Watt. 3x150W Dimm. PHASE CUT 30%-100% IP20 Net weight: 11,10 kg *Not included: Bulb*	F25 A07 41	Copper	
LED 220-240V - 1x27.8W 3000K CRI 90+ Dimm. PUSH 1..10V IP40 Net weight: 11,10 kg *Included: LED*	F25 A08 41	Copper	3000K

Catalogue



Upon request:
other finishes available




ARRANGING THINGS
EIGHT HOMES · ELEMENTS DESIGN

Posillipo
F75

Robert Stadler
2025





Family Pendant
Floor → pg. 124
Wall/Ceiling → pg. 172

Robert Stadler presenta Posillipo, un sistema di illuminazione che inganna l'occhio dello spettatore, facendo apparire i cavi elettrici identici ai distanziatori orizzontali. Questo genera una griglia omogenea che sfida l'idea tradizionale di lampada a sospensione. Il sistema può essere esteso in entrambe le direzioni, dando vita sia a corpi illuminanti singoli sia a installazioni luminose su larga scala.

La versione a sospensione esprime al meglio la natura modulare e configurabile di Posillipo. Gli elementi possono essere combinati per disegnare nello spazio una vera e propria "vela" luminosa sospesa al soffitto, oppure svilupparsi in grandi composizioni circolari, fino a creare spettacolari chandelier ad anello. Diametro, dimensione e sviluppo della composizione possono essere personalizzati in funzione dell'ambiente, trasformando la lampada in un sistema architettonico capace di adattarsi a spazi e progetti differenti.

Robert Stadler introduces Posillipo, a lighting system that tricks the eye of the beholder, as the electrical cables appear to be the same as the horizontal spacers. This forms a homogeneous grid that challenges the traditional idea of a pendant light. The system can therefore be seamlessly extended in either direction to create both individual luminaires and large scale lighting installations.


The pendant version fully expresses the modular and configurable nature of Posillipo. Its elements can be combined to create a true "sail" of light suspended from the ceiling, or developed into large circular compositions, creating spectacular ring chandeliers. The diameter, size and overall development of the composition can be customised according to the space, transforming the luminaire into an architectural lighting system capable of adapting to different environments and projects.

Dimension	spot Ø10cm x 5,3cm
Materials	Frosted pyrex glass – Metal – Textile
Light Source	LED 24V – 1 x 3W – 2700K/3000K
Dimming	Dimmable
Finishes	Black metal, Sand Beige textile cable

Posillipo

F75

Pendant




LED 24V - 6x3W
3000K or 2700K
1176 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 1,50 kg

Included: LED
Not included: Power supply, Dimmer

F75 A01 Y02 16	Sand beige	3000K
F75 A02 Y02 16	Sand beige	2700K

Pendant




LED 24V - 3x3W
3000K or 2700K
588 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 1,05 kg

Included: 3 spots, 2 fastening canopies
Not included: Power supply, Dimmer

F75 L11 Y02 16	Sand beige	3000K
F75 L12 Y02 16	Sand beige	2700K

Pendant



LED 24V - 6x3W
3000K or 2700K
1176 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 1,20 kg

Included: 6 spots, 1 fastening canopy
Not included: Power supply, Dimmer


F75 L21 Y02 16	Sand beige	3000K
F75 L22 Y02 16	Sand beige	2700K

Catalogue

16 Sand beige


Upon request:
other finishes available





Posillipo F75

Pendant




LED 24V - 22x3W
3000K or 2700K
4312 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 6,60 kg

Included: LED
Not included: Power supply, Dimmer

F75 A71 Y02 16 Sand beige 3000K
F75 A72 Y02 16 Sand beige 2700K

Pendant




LED 24V - 11x3W
3000K or 2700K
2156 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 1,65 kg

Included: LED
Not included: Power supply, Dimmer
Note: Extension for F75 A71 or F75 A72 pendant lamp

F75 L71 Y02 16 Sand beige 3000K
F75 L72 Y02 16 Sand beige 2700K

Pendant




LED 24V - 36x3W
3000K or 2700K
7056 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 10,80 kg

Included: LED
Not included: Power supply, Dimmer

F75 A81 Y02 16 Sand beige 3000K
F75 A82 Y02 16 Sand beige 2700K

Pendant



LED 24V - 18x3W
3000K or 2700K
3528 lm, CRI 90+
Dimm. Dimmable
IP40
Net weight: 2,70 kg


Included: LED
Not included: Power supply, Dimmer
Note: Extension for F75 A81 or F75 A82 pendant lamp

F75 L81 Y02 16 Sand beige 3000K
F75 L82 Y02 16 Sand beige 2700K


Posillipo

F75

Pendant	LED 24V - 52x3W 3000K or 2700K 10192 lm, CRI 90+ Dimm. Dimmable IP40 Net weight: 15,60 kg *Included: LED* *Not included: Power supply, Dimmer*	F75 A91 Y02 16 F75 A92 Y02 16	Sand beige Sand beige	3000K 2700K



Pendant	LED 24V - 52x3W 3000K or 2700K 5096 lm, CRI 90+ Dimm. Dimmable IP40 Net weight: 3,90 kg *Included: LED* *Not included: Power supply, Dimmer* *Note: Extension for F75 A91 or F75 A92 pendant lamp*	F75 L91 Y02 16 F75 L92 Y02 16	Sand beige Sand beige	3000K 2700K



Utility	Power supply	LED power supply constant voltage 35W 24Vdc	A50207
		LED power supply constant voltage 75W 24Vdc	A50208
		LED power supply constant voltage 100W 24Vdc	A50209
		LED power supply constant voltage 150W 24Vdc	A50210
	Dimmer	Dimmer in 24Vdc out: 24Vdc, 10A, dimm. PUSH, 1..10V, DALI	A50308

Catalogue

16 Sand beige

Upon request:
other finishes available



Santo
F74

Atelier Biagetti
2025



Family Pendant

Floor → pg. 132
Wall → pg. 156

Atelier Biagetti presenta Santo, un alfabeto in cui materia, luce e forma si combinano per creare composizioni sempre diverse: alcune precise e definite, altre più scultoree ed espressive.
La luce scorre come un liquido, passando dal metallo al vetro soffiato, cambiando colore e ammorbidendo i confini tra le superfici. Santo è anche un sistema giocoso: basta aggiungere un componente per dirigere la luce a piacere o lasciarla fluire liberamente nello spazio. La collezione Santo è caratterizzata dalla modularità degli elementi che la compongono. Il diffusore è in vetro soffiato su stampo a fermo.

La sospensione Santo interpreta la modularità del sistema attraverso forme lineari, orizzontali e verticali, o di un elegante anello luminoso che si esprime in orizzontale, o nella sua più libera espressione di composizione a catena verticale, capace di generare vere e proprie installazioni luminose.

Atelier Biagetti presents Santo, an alphabet where material, light, and shapes come together to create endlessly varied compositions—some precise and defined, others more sculptural and expressive.
Light flows liquidly, moving from metal to blown glass, shifting in color and softening the boundaries between surfaces. Santo is also a playful system: by simply adding a component, the light can be directed as desired or left to drift freely through space.The Santo collection includes pendant, floor and wall lamps and is characterised by the modularity of its elements.
The diffuser is made of glass blown on a still mould.

The Santo pendant expresses the modularity of the system through linear, horizontal and vertical configurations, extending to an elegant horizontal luminous ring, and to its most expressive form in the vertical chain composition, transforming it from a simple luminaire into an architectural and scenographic element.


Dimension	Ø6,6cm, L 92,6cm – 318,2cm
Materials	Glass – Metal
Light Source	LED 230V – each module 28W
Dimming	1..10V, DALI, PUSH
Finishes	White, Black, Pink, Light Blue, Silver, Gold

Santo

F74

Compose and costumize your Santo lamp

Pendant




LED 230V - 28W
2700K or 3000K
2100lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 2,51 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A01	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 A01 33 30 27 10**

Pendant




LED 230V - 28W
2700K or 3000K
3150lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 3,45 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A02	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 A02 33 30 27 10**

Pendant



LED 230V - 14W+3W 25°
2700K or 3000K
1050lm+377lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 2,52 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A21	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 A21 33 30 27 10**








Santo

F74

Compose and costumize your Santo lamp

Pendant




LED 230V - 28W
2700K or 3000K
2100lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 5,00 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A11	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold	**27** 2700K **30** 3000K	**27** Silver **76** Bronze	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold

Example: **F74 A11 33 30 27 10**

Pendant




LED 230V - 28W
2700K or 3000K
2100lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 7,20 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A12	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold	**27** 2700K **30** 3000K	**27** Silver **76** Bronze	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold

Example: **F74 A12 33 30 27 10**

Pendant




LED 230V - 56W
2700K or 3000K
4200lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 9,40 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A13	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold	**27** 2700K **30** 3000K	**27** Silver **76** Bronze	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold

Example: **F74 A13 33 30 27 10**

Pendant



LED 230V - 84W
2700K or 3000K
6300lm, CRI 90+
Dimm. PUSH 1..10V DALI
IP40
Net weight: 13,70 kg

Included: LED, Dimmable electronic driver

Collection	Flange	K	Screws	Structure
F74 A14	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold	**27** 2700K **30** 3000K	**27** Silver **76** Bronze	**01** White **02** Black **07** Pink **10** Light blue **33** Silver **79** Gold

Example: **F74 A14 33 30 27 10**

Catalogue

01 White · 02 Black · 07 Pink · 10 Light Blue · 33 Silver · 79 Gold

Screws

27 Silver anodized
76 Bronze anodized


Upon request:
other finishes available

Santo

F74

Compose and costumize your Santo lamp

Chain




LED 24V - 8W
2700K or 3000K
560lm, CRI 90+
Dimmable
IP40
Net weight: 4,20 kg

Included: LED

Collection	Flange	K	Screws	Structure
F74L01	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 L01 33 30 27 10**

Chain




LED 24V - 1W
2700K or 3000K
CRI 90+
Dimmable
IP40
Net weight: 4,20 kg

Included: LED
Note: Only the junction discs are illuminated

Collection	Flange	K	Screws	Structure
F74L02	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 L02 33 30 27 10**

Chain




LED 24V - 15W
2700K or 3000K
1050lm, CRI 90+
Dimmable
IP40
Net weight: 5,10 kg

Included: LED

Collection	Flange	K	Screws	Structure
F74L11	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 L11 33 30 27 10**

Chain



LED 24V - 1W
2700K or 3000K
1050lm, CRI 90+
Dimmable
IP40
Net weight: 5,10 kg

Included: LED
Note: Only the junction discs are illuminated

Collection	Flange	K	Screws	Structure
F74L12	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold


Example: **F74 L12 33 30 27 10**

Santo

F74

Compose and costumize your Santo lamp

Accessory




IP40
Net weight: 1,40 kg

Not included: Spots
Note: Ceiling attachment for chain composition for accessible ceilings, maximum load 100kg, maximum power of the chain composition 90W

F74 Z01 01	White
F74 Z01 02	Black
F74 Z01 07	Pink
F74 Z01 10	Light blue
F74 Z01 33	Silver
F74 Z01 79	Gold

Accessory



230V - 100W
Dimm. PUSH 1..10V DALI
IP40
Net weight: 4,80 kg

Included: Dimmable electronic driver, Light dimmer
Not included: Spots
Note: Canopy for chain composition for masonry ceilings, maximum load 100kg, maximum power of the chain composition 90W

F74 M01 01	White
F74 M01 02	Black
F74 M01 07	Pink
F74 M01 10	Light blue
F74 M01 33	Silver
F74 M01 79	Gold

Catalogue



Screws

27 Silver anodized

76 Bronze anodized

Upon request:
other finishes available





COMBINA. PERSONALIZZA. CREA.

Santo offre la libertà di creare una configurazione unica, combinando liberamente le diverse finiture dei suoi elementi.

Sei colori per i tubolari metallici, sei per le flange di giunzione e due finiture per le viti permettono di personalizzare ogni dettaglio della lampada, creando infinite combinazioni cromatiche e materiche.

Per progetti speciali, sono disponibili ulteriori finiture su richiesta.

Santo F74

Compose and costumize your Santo lamp



COMBINE. CUSTOMIZE. CREATE.

Santo offers the freedom to create a unique configuration by freely combining the different finishes of its elements.

Six colours for the metal tubes, six for the junction flanges and two finishes for the screws allow every detail of the lamp to be customized, creating endless colour and material combinations.

For special projects, additional finishes are available upon request.

XY&Z
F63

Gensler Studio
2022



Family Pendant

Ispirato dalla capacità della natura di moltiplicarsi da un singolo seme, XY&Z incoraggia il propagarsi della luce da un unico punto a molti elementi diversi: XY&Z è una conversazione tridimensionale tra design, tecnologia e bellezza. Progettato per lo spazio interno commerciale, XY&Z è una fonte di illuminazione ideale nell'ambiente open space e in spazi di ritrovo come ristoranti, aree di servizi e spazi di vendita al dettaglio di boutique, per creare un'esperienza di design sublime.

Il punto luce è realizzato in vetro soffiato ed è sospeso a diverse altezze. Il vetro interno è disponibile nei colori liquirizia, prugna, petrolio, bronzo e ha una scelta tra quattro texture: slick, rigadin, baloton, aqua. Il vetro esterno è trasparente. I rosoni sono disponibili in bianco o nero e si possono connettere da uno a quattro punti luce ad ognuno. L'elettrificazione è per lampadine E14 o LED integrato, i punti luce possono essere dimmerati.

Inspired by nature's ability to multiply from a single seed, XY&Z explores the propagation of light from a single point into a constellation of elements. A three-dimensional dialogue between design, technology, and beauty, XY&Z is conceived for commercial interiors, offering both a decorative and functional lighting solution for open spaces and gathering areas such as hospitality, restaurants, amenities, and retail environments.

The spotlight is crafted from blown glass and can be suspended at different heights, allowing for a variety of compositions. The inner glass is available in Licorice, Plum, Petroleum, and Bronze finishes, with a choice of four textures: Slick, Rigadin, Baloton, and Aqua.
The outer glass is clear. The canopies are available in white or black and can accommodate from one to four light points each. The lamp is designed for E14 bulbs or integrated LED and is dimmable.

Dimension	Ø13cm x h. 20cm
Materials	Glass – Aluminium
Light Source	E14 (max 10W LED); LED 24V 1x6W
Dimming	Dimmable
Finishes	Transparent, Licorice, Plum, Petroleum, Bronze

XY&Z

F63

Spot Light	E14 220-240V - 1x4.5W LED cod. A10233C01 Max Watt 1x10W LED IP20 Net weight: 0,80 kg *Included: 3m cable* *Not included: Bulb* *Note: Transparent slick external glass*	F63 L01 02	Black	
	LED 24Vdc - 1x6W 2700K or 3000K CRI 90+ Dimm. Dimmable IP20 Net weight: 0,80 kg *Included: LED, Cable 3m* *Note: Transparent slick external glass*	F63 L02 02 F63 L03 02	Black Black	2700K 3000K
Spot Light	E14 220-240V - 1x4.5W LED cod. A10233C01 Max Watt 1x10W LED IP20 Net weight: 0,90 kg *Included: 3m cable* *Not included: Bulb, Internal glass* *Note: Transparent slick external glass with canopy*	F63 L11 02	Black	
Glass	Net weight: 0,4 kg *Not included: Spots*	F63 V01 02 F63 V01 43 F63 V02 02 F63 V02 76 F63 V03 40 F63 V03 43 F63 V04 40 F63 V04 76	Licorice Petroleum Licorice Bronze Plum Petroleum Plum Bronze	Slick internal glass Slick internal glass Rigadin internal glass Rigadin internal glass Balloton internal glass Balloton internal glass Aqua internal glass Aqua internal glass
Canopy	IP20 Net weight: 0,1 kg *Not included: Spots*	F63 M01 01 F63 M01 02	White Black	

Catalogue





Table

102 Brotas
106 Làmpara
110 Olympic
114 Plana

Brotas F73

Estudio Campana
2025



Family Table
Pendant → pg. 22

Estudio Campana (San Paolo) presenta Brotas, una lampada che unisce vetro soffiato e rami naturali, esprimendo il linguaggio ibrido che caratterizza il lavoro dello studio. Ispirata ai ricordi d'infanzia di Humberto Campana a Brotas, la cittadina dello stato di San Paolo dove è cresciuto, la collezione evoca il suo profondo legame con la natura, traducendo la poesia di quei ricordi in un design che celebra la natura e la trasformazione.

La lampada da tavolo della collezione Brotas è disponibile con o senza ramo naturale. Il diffusore è in vetro bianco lucido, soffiato su stampo dai mastri vetrai e poi deformato artigianalmente rendendolo unico ed esclusivo. Il vetro è appiattito sul fondo per essere appoggiato senza base. L'elettrificazione è a tensione di rete per lampadine LED.

Estudio Campana (São Paulo) presents Brotas, a lamp that combines blown glass and natural branches, expressing the hybrid language that characterizes the studio's work. Inspired by Humberto Campana's childhood memories of Brotas, the town in the state of São Paulo where he grew up, the collection evokes his deep connection with nature, translating the poetry of those memories into a design that celebrates nature and transformation.

The Brotas table lamp is available with or without a natural branch. The diffuser is made of glossy white blown glass, moulded by master glassmakers and then handcrafted to create a unique and exclusive shape. The glass is flattened at the bottom, allowing the lamp to stand without a base. The lamp is designed for mains-voltage LED lamps.unique and exclusive.
The electrification is mains voltage for LED lamps.

Dimension	Approx. L 40 x h.36
Materials	Glass – Natural hazel branch (Corylus avellana Contorta)
Light Source	E27 (max 150W)
Dimming	ON/OFF, Phase cut 30%–100%
Finishes	Glossy white

Brotas

F73

Table	E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100% IP40 Net weight: 5,83 kg *Not included: Bulb*	F73 B01 01	White





Table	E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100% IP40 Net weight: 5,51 kg *Not included: Bulb*	F73 B11 01	White



Catalogue

01 White

Upon request:
other finishes available



Làmpara F69

RSVP/design
2023



Family Table

Da sempre l'essenza di Fabbian è il vetro e, con la collezione Làmpara, l'obiettivo è esaltarne il valore, la bellezza e l'autenticità. Il vetro soffiato in particolar modo è la risultante di una lavorazione artigianale che rende il prodotto differente l'uno dall'altro anche solo per piccoli dettagli: questa diversità rende ogni lampada unica ed esclusiva. In definitiva, Làmpara è una piccola opera d'arte capace di regalare all'ambiente un tocco di originalità e di eleganza.

La collezione Làmpara è costituita da una lampada da tavolo in una dimensione. Il diffusore è in vetro soffiato spianato a mano dai mastri vetrai, la base della lampada è in alluminio anodizzato nero ed è fissata al vetro tramite tre grani che ne aumentano la stabilità e la solidità. La sorgente luminosa è a LED ad alta efficienza e dimmerabile PUSH.

Glass has always been the essence of Fabbian, and with the Làmpara collection the aim is to enhance its value, beauty, and authenticity. Blown glass in particular results from an artisan process that makes each piece different from the others even if only in small details: a diversity that makes each lamp unique and exclusive. Fundamentally, Làmpara is a small-scale work of art with the ability to add a touch of originality and elegance to any space.


Lámpara is a range of one-dimensional table lamps. The diffuser is made from hand-blown glass that is then flattened by master glassmakers; the base is in black anodised aluminium, fixed to the glass with three grains that increase its stability and solidity.
The light source is a high efficiency PUSH dimmable LED.

Dimension	29cm x h. 39,5cm
Materials	Glass – Aluminium
Light Source	LED 12W – 2700K/3000K – CRI 80+
Dimming	PUSH
Finishes	Green, Amber, Smoked

Làmpara

F69

Table



LED 220-240V - 1x12W	F69 B01 43	Green	3000K
3000K or 2700K	F69 B01 47	Amber	3000K
1200 lm, CRI 80+	F69 B01 58	Smoked	3000K
Dimm. PUSH	F69 B02 43	Green	2700K
IP40	F69 B02 47	Amber	2700K
Net weight: 4,70 kg	F69 B02 58	Smoked	2700K

Included: LED

Catalogue



43 Green 47 Amber 58 Smoked

Upon request:
other finishes available



Olympic
F45

Lorenzo Truant
2021



Family Table

Pendant → pg. 64
Wall/Ceiling → pg. 168

Un anello di luce ha il fascino olimpico di una forma aerea e conchiusa, a sé bastante. Un singolo anello permette di illuminare gli spazi proiettando la sua luce nello spazio come se agisse una forza centrifuga. Ma quando due o più anelli di luce si concatenano tra loro si forma una interdipendenza tra gli elementi luminosi che permette di creare una gerarchia di luci la quale rende lo spazio intellegibile. In questa grammatica della luce fatta di monosillabi circolari si possono creare olimpiche frasi negli ampi spazi del contemporaneo.

La lampada da tavolo Olympic ha un design molto lineare e semplice. Il diffusore circolare è disponibile in un'unica dimensione con strip LED lungo tutta la sua lunghezza e base in cemento. La lampada si adatta perfettamente per ambienti moderni su abitazione o contesti lavorativi.

A self-contained light ring with an aerial shape, inspired by the Olympic rings. A single ring can illuminate the environment by projecting its light as if moved by centrifugal force. When one or more light rings are connected to one another, the luminous sources interconnect creating a hierarchy of lights that clarifies the space. This light structure comprising circular blocks creates Olympic constructions in large contemporary spaces.


The Olympic table lamp has a simple, linear design. The circular diffuser is available in one size with led strips along its entire length and a concrete base. The lamp is perfectly suited for modern environments, in living quarters or working environments.

Dimension	Ø62,6cm x h. 63,8cm
Materials	Aluminium – Plastic – Concrete
Light Source	LED 1x40W – 2700K/3000K – CRI 90+
Dimming	SLIDE switch
Finishes	White, Black, Bronze

Olympic

F45

Table



LED 220-240V - 1x40W	F45 B01 01	White	3000K
3000K or 2700K	F45 B01 02	Black	3000K
3260 lm, CRI 90+	F45 B01 76	Bronze	3000K
Dimm. PUSH	F45 B02 01	White	2700K
IP40	F45 B02 02	Black	2700K
Net weight: 4,42 kg	F45 B02 76	Bronze	2700K

Included: LED, Dimmable electronic driver

Catalogue



01 White 02 Black 76 Bronze

Upon request:
other finishes available



Plana
F71

Bellavista &
Piccini
2023



Family Table

La ricerca della semplicità ci conduce ad indagare, spesso attraverso processi complessi, tutto ciò che ci circonda. La collezione Plana nasce dalla fascinazione della geometria piana e dei poligoni. Forme pure, riconoscibili: quadrato, rettangolo e cerchio concepiti in vetro e sostenuti da una base che protegge e conserva la sorgente luminosa invisibile. La luce non è diretta ma lambisce la lastra e si trasmette a contatto con il bordo. Una modalità inedita e inusuale di illuminare che crea effetti suggestivi e inaspettati.

La collezione Plana è composta da due lampade da tavolo. Plana è realizzata in vetro colato e martellato da un lato nella forma di quadrato o cerchio, ha poi una base in cemento con un perno in PMMA sabbiato che la fissa al vetro. La sorgente luminosa è a LED ad alta efficienza e dimmerabile PUSH.

Our search for simplicity leads us, often by way of complex processes, to investigate everything around us. The Plana collection was born from a fascination with flat geometry and polygons. Shapes that are pure and recognisable: a glass square, rectangle, and circle supported by a base that protects and preserves the invisible light source. The light is not direct; it brushes across the plate of glass and is only transmitted where it comes into contact with the edge. A new and unusual mode of lighting that creates evocative and unexpected effects.

The Plana collection consists of two table lamps. They consist of a square or circle of cast glass hammered on one side, and a concrete base with a sandblasted PMMA pin that fixes it to the glass. The light source is a high efficiency PUSH dimmable LED.

Dimension	Ø35cm, 30cm x 30cm
Materials	Glass – Concrete
Light Source	LED 1x9W – 2700K/3000K – CRI 80+
Dimming	PUSH
Finishes	Transparent

Plana

F71

Table	LED 220-240V - 1x9W 3000K or 2700K 590 lm, CRI 80+ Dimm. PUSH IP40 Net weight: 7,60 kg *Included: LED* *Note: Concrete base*	F71 B01 00 F71 B01 01	Transparent Transparent	3000K 2700K





Table	LED 220-240V - 1x9W 3000K or 2700K 590 lm, CRI 80+ Dimm. PUSH IP40 Net weight: 7,40 kg *Included: LED* *Note: Concrete base*	F71 B11 00 F71 B11 01	Transparent Transparent	3000K 2700K



Catalogue


00 Transparent

Upon request:
other finishes available



Floor

120 Bungee
124 Posillipo
128 Rìo
132 Santo



Bungee
F64

Renato Montagner
2022

Family Floor

Bungee torna a fare parte delle nostre collezioni permanenti dopo vent'anni dal suo debutto. Un restyle che la riporta all'attualità, una lampada terra-cielo che saprà valorizzare ogni ambiente con la sua presenza. I miglioramenti sono visibili fin da subito: la corda ora è tessile e disponibile in più varianti colore, la base è in cemento e si possono gestire fino a tre punti luce. Bungee si ripresenta quindi come un essenziale elemento d'arredo, caratterizzante anche da spento.

La collezione Bungee è costituita da una terra-cielo per interno. Bungee è composta da un cavo tessile con attacco a soffitto e alimentazione a terra.
Il corpo illuminante è scorrevole, ruotante e dotato di un anello in alluminio con molle d'acciaio, che consentono di orientare a piacere il fascio di luce.
La sorgente luminosa è un LED integrato ed è disponibile dimmerabile PUSH.

Twenty years since it first made its debut, Bungee returns to our permanent collections with a restyling that brings it back up to date: a floor-to-ceiling light fitting whose presence will enhance any space. The improvements are immediately obvious: the cable is now made from fabric and comes in a range of colours; the base is made of concrete and can take up to three lamps. With these improvements, Bungee once again re-introduces itself as an essential element for furnishing interiors that has a strong presence even when it is switched off.


The Bungee Collection is a full-height floor-to-ceiling lamp for indoor use. The light fittings are supported on a fabric cable that is fixed to the ceiling. The power supply is at floor level. The body of the fitting can slide up and down and rotate, and has an aluminium ring with steel springs that enable the beam of light to be directed as desired. The light source is an integrated LED and is available with a dimmer PUSH.

Dimension	Ø12,5cm x h. max 300cm
Materials	Aluminium – Steel
Light Source	LED 1x7W – 2700K/3000K – CRI 90
Dimming	PUSH
Finishes	Black, Red, Patterned cable

Bungee

F64

Floor



LED 110-240V - 1x6W
3000K or 2700K (4000K by request)
920 lm, CRI 90
Dimm. PUSH
IP20
Net weight: 2,80 kg

Included: 1 spot with 2,5m of electric cable, LED, Dimmable electronic driver
Note: Max 3 spots, Concrete base.

F64 C11 S02 02	Black cord	3000K 24°
F64 C11 L02 02	Black cord	3000K 60°
F64 C11 S02 03	Red cord	3000K 24°
F64 C11 L02 03	Red cord	3000K 60°
F64 C11 S02 99	Patterned cord	3000K 24°
F64 C11 L02 99	Patterned cord	3000K 60°
F64 C12 S02 02	Black cord	2700K 24°
F64 C12 L02 02	Black cord	2700K 60°
F64 C12 S02 03	Red cord	2700K 24°
F64 C12 L02 03	Red cord	2700K 60°
F64 C12 S02 99	Patterned cord	2700K 24°
F64 C12 L02 99	Patterned cord	2700K 60°

Spot light

LED 1x6W
3000K or 2700K (4000K by request)
920 lm, CRI 90
IP20
Net weight: 0,3 kg

Included: 1 spot with 2,5m of electric cable, LED

F64 KX1 S 02	Black	3000K 24°
F64 KX1 L 02	Black	3000K 60°
F64 KX2 S 02	Black	2700K 24°
F64 KX2 L 02	Black	2700K 60°

LED 1x6W
3000K or 2700K (4000K by request)
920 lm, CRI 90
IP20
Net weight: 0,3 kg


Included: 1 spot with 1,5m of electric cable, LED

F64 KX3 S 02	Black	3000K 24°
F64 KX3 L 02	Black	3000K 60°
F64 KX4 S 02	Black	2700K 24°
F64 KX4 L 02	Black	2700K 60°

Catalogue

02 Black cord | 03 Red cord | 99 Patterned cord

Upon request:
other finishes available



Posillipo
F75

Robert Stadler
2025



Family Floor

Pendant → pg. 76
Wall/Ceiling → pg. 172

Robert Stadler presenta Posillipo, un sistema di illuminazione che inganna l'occhio dello spettatore, facendo apparire i cavi elettrici identici ai distanziatori orizzontali. Questo genera una griglia omogenea che sfida l'idea tradizionale di lampada a sospensione.
Il sistema può essere estesoin entrambe le direzioni, dando vita sia a corpi illuminanti singoli sia a installazioni luminose su larga scala.

La versione da terra interpreta il sistema Posillipo in una piantana scultorea e fuori dagli schemi.
Una struttura verticale essenziale sostiene una sequenza di sorgenti luminose che ne definiscono il profilo, creando una presenza scenografica.
Un oggetto dal forte carattere architettonico, pensato per diventare protagonista dell'ambiente senza rinunciare alla leggerezza visiva che contraddistingue l'intera collezione.

Robert Stadler introduces Posillipo, a lighting system that tricks the eye of the beholder, as the electrical cables appear to be the same as the horizontal spacers. This forms a homogeneous grid that challenges the traditional idea of a pendant light. The system can therefore be seamlessly extended in either direction to create both individual luminaires and large scale lighting installations.


*The floor version interprets the Posillipo system as a sculptural and unconventional floor lamp.
A slender vertical structure supports a sequence of luminous elements that define its profile, creating a striking presence. An object with a strong architectural character, designed to become a focal point within the space while preserving the visual lightness that distinguishes the entire collection.*

Dimension	L 50cm h.190cm
Materials	Frosted pyrex glass – Metal – Textile
Light Source	LED 24V – 23W – 2700K/3000K
Dimming	PUSH
Finishes	Black metal, Sand Beige textile cable

Posillipo

F75

Floor



LED 24V - 23W
3000K or 2700K
1372 lm, CRI 90+
Dimm. PUSH
IP40
Net weight: 8,50 kg


Included: LED
Note: Black structure

F75 C01 Y02 16	Sand beige	3000K
F75 C02 Y02 16	Sand beige	2700K

Catalogue

16 Sand Beige

Upon request:
other finishes available



Rìo
F72

Filippo Protasoni
2023



Family Floor

Come spesso accade, è dalla natura che trae ispirazione Rìo: un lungo fiume che sfocia verso il mare aperto. Rìo si costituisce infatti da pochi elementi essenziali: la struttura e il cavo di alimentazione rievocano il corso d'acqua che cerca il mare, la fonte luminosa rappresenta il nuovo inizio. La luce, direzionata verso il l'alto, illumina in maniera uniforme e avvolgente. Rìo è ideale per impreziosire i locali con una luce d'ambiente, perfetta per studi medici, sale d'attesa, aree lounge e ambienti privati contemporanei.

La collezione Rìo comprende una lampada da terra. La struttura è in ferro e alluminio verniciati nelle finiture bianco, antracite o Corten, lungo la quale corre un cavo elettrico rivestito in tessuto disponibile in diverse varianti colore. Il diffusore è in PMMA opalino e la sorgente luminosa è a LED ad alta efficienza con alimentatore integrato e dimmerabile PUSH.

Taking its inspiration from nature as we often do, Rìo is a long river that flows towards the open sea. In fact, the Rìo lamp consists of just a few essential elements; the structure and the power cable evoke the watercourse as it searches for the sea, and the light source represents the new beginning. The light is directed upwards and illuminates in an even, enveloping way. Rìo is ideal for ambient lighting that embellishes a space and is perfect for medical practices, waiting rooms, lounge areas, and contemporary private spaces.


The Rìo collection consists of a floor lamp. The structure is in steel and aluminium painted white, anthracite, or Corten with the power cable covered in fabric, running along the structure. The fabric is available in different colour variants. The diffuser is made from opal PMMA and the light source is high-efficiency LED with integrated power supply and dimmable PUSH.

Dimension	Ø20cm x h. 182cm
Materials	Aluminium
Light Source	LED 1x25W – 2700K/3000K – CRI 80+
Dimming	PUSH
Finishes	White, Anthracite, Corten

Rìo

F72

Floor



LED 220-240V - 1x25W
3000K or 2700K
2248 lm, CRI 80+
Dimm. PUSH
IP40
Net weight: 5,30 kg

Included: LED

F72 C01 Y01 03	Red cord	3000K White structure
F72 C01 Y21 31	Blue cord	3000K Anthracite structure
F72 C01 Y25 04	Yellow/black cord	3000K Corten structure
F72 C02 Y01 03	Red cord	3000K White structure
F72 C02 Y21 31	Blue cord	2700K Anthracite structure
F72 C02 Y25 04	Yellow/black cord	2700K Corten structure

Catalogue



03 Red cord and white structure




31 Blue cord and anthracite structure



04 Yellow/black cord and corten structure

Upon request:
other finishes available





Santo
F74

Atelier Biagetti
2025

Family

Floor
Pendant → pg. 84
Wall → pg. 156

La versione da terra porta il linguaggio di Santo nella dimensione verticale, trasformandolo in una piantana scultorea e fortemente luminosa. La struttura essenziale diventa il supporto per una sequenza di elementi luminosi, creando un oggetto dalla presenza grafica e contemporanea. Con una potenza fino a 56W e 4200 lumen, la piantana combina l'impatto visivo della collezione con una notevole capacità illuminante, diventando un elemento protagonista dell'ambiente.

The floor version brings the Santo language into the vertical dimension, transforming it into a sculptural and highly luminous floor lamp. Its essential structure becomes the framework for a sequence of luminous elements, creating an object with a distinctive graphic and contemporary presence. With an output of up to 56W and 4200 lumens, the floor lamp combines the visual impact of the collection with a remarkable lighting performance, becoming a strong focal element within the space.


Dimension	Ø28cm, L 172cm, L228c
Materials	Glass – Metal
Light Source	LED 230V – 42W, 56W – 2700K/3000K CRI90+
Dimming	PUSH
Finishes	White, Black, Pink, Light Blue, Silver, Gold

Santo

F74

Compose and costumize your Santo lamp

Floor




LED 230V - 42W
2700K or 3000K
3150lm, CRI 90+
Dimm. PUSH
IP40
Net weight: 6,23 kg

Included: LED, Electronic driver

Collection	Flange	K	Screws	Structure
F74C01	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 C01 33 30 27 10**

Floor



LED 230V - 56W
2700K or 3000K
4200lm, CRI 90+
Dimm. PUSH
IP40
Net weight: 7,16 kg

Included: LED, Electronic driver


Collection	Flange	K	Screws	Structure
F74C02	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 C02 33 30 27 10**

Catalogue



Screws



Upon request:
other finishes available



Wall

138 Acustica
144 Akoya
148 Comet
152 Lancetta
156 Santo

Acustica F58

Gio Minelli &
Marco Fossati
2021



Family Wall

Pendant → pg. 10

Ispirato ad un piatto della batteria, il grande e sottile paralume di Acustica ne ribalta il concetto, assorbendo le onde sonore ambientali e creando un elevato comfort acustico. La sua posizione naturalmente inclinata e la leggerezza del paralume, permette di avere composizioni di lampade dinamiche e creative. La fonte luminosa è centrale e fissa, Acustica è disponibile in più varianti colore.
È ideale per ambienti pubblici come ristoranti, uffici di lusso ma anche ampi spazi di attesa.

Acustica è una collezione di lampade per interno con proprietà di assorbimento acustico. Nella versione a parete, la calotta in PET riciclato è disponibile nei diametri 60 e 90 cm e può essere leggermente sovrapposta ad altre calotte, creando composizioni personalizzate. La struttura metallica integra una sorgente LED dimmerabile ad alta efficienza.

The wide, slim shape of the Acustica lampshade is inspired by the cymbal of a drum kit, but reverses the musical concept by absorbing sound from the space, to create a high level of acoustic comfort. Its naturally inclined angle, and its lightness, make possible dynamic and creative compositions of multiple lamps, whilst the light source itself remains central and fixed. Acustica is available in a range of colour variations, and is ideal for use in public spaces such as restaurants and luxury offices, as well as large waiting areas.


Acustica is a collection of indoor lights featuring acoustic sound-absorbing properties. In the wall version, the recycled PET shade is available in 60 and 90 cm diameters and can be slightly overlapped with other shades to create customised compositions. The metal structure integrates a high-efficiency dimmable LED source.

Dimension	Ø60cm or Ø90cm
Materials	Recycled PET – Aluminium – PMMA
Light Source	LED 1x37W (Ø60cm) or LED 1x72W (Ø90cm) 2700K/3000K – CRI 90+
Dimming	ON/OFF or DALI PUSH 1..10V
Finishes	White, Black, Ocean, Coral, Concrete, Lawn green, Honey

Acustica

F58

Wall



LED 220-240V - 1x37W 3000K or 2700K (4000K by request) 1725 lm, CRI 90+ Dimm. ON/OFF Net weight: 6,00 kg *Included: LED, Electronic driver*	F58 G01 01	White	3000K
	F58 G01 02	Black	3000K
	F58 G01 06	Ocean	3000K
	F58 G01 32	Coral	3000K
	F58 G01 37	Concrete	3000K
	F58 G01 43	Lawn green	3000K
	F58 G01 47	Honey	3000K
	F58 G02 01	White	2700K
	F58 G02 02	Black	2700K
	F58 G02 06	Ocean	2700K
	F58 G02 32	Coral	2700K
	F58 G02 37	Concrete	2700K
	F58 G02 43	Lawn green	2700K
	F58 G02 47	Honey	2700K
LED 220-240V - 1x37W 3000K or 2700K (4000K by request) 1725 lm, CRI 90+ Dimm. DALI - PUSH - 1..10V Net weight: 6,00 kg *Included: LED, Dimmable electronic driver*	F58 G11 01	White	3000K
	F58 G11 02	Black	3000K
	F58 G11 06	Ocean	3000K
	F58 G11 32	Coral	3000K
	F58 G11 37	Concrete	3000K
	F58 G11 43	Lawn green	3000K
	F58 G11 47	Honey	3000K
	F58 G12 01	White	2700K
	F58 G12 02	Black	2700K
	F58 G12 06	Ocean	2700K
	F58 G12 32	Coral	2700K
	F58 G12 37	Concrete	2700K
	F58 G12 43	Lawn green	2700K
	F58 G12 47	Honey	2700K






Acustica

F58

Wall



LED 220-240V - 1x72W 3000K or 2700K 3295 lm, CRI 90+ Dimm. ON/OFF Net weight: 9,00 kg *Included: LED, Electronic driver*	F58 G21 01	White	3000K
	F58 G21 02	Black	3000K
	F58 G21 06	Ocean	3000K
	F58 G21 32	Coral	3000K
	F58 G21 37	Concrete	3000K
	F58 G21 43	Lawn green	3000K
	F58 G21 47	Honey	3000K
	F58 G22 01	White	2700K
	F58 G22 02	Black	2700K
	F58 G22 06	Ocean	2700K
	F58 G22 32	Coral	2700K
	F58 G22 37	Concrete	2700K
	F58 G22 43	Lawn green	2700K
	F58 G22 47	Honey	2700K
LED 220-240V - 1x72W 3000K or 2700K 3295 lm, CRI 90+ Dimm. DALI - PUSH - 1..10V Net weight: 9,00 kg *Included: LED, Dimmable electronic driver*	F58 G31 01	White	3000K
	F58 G31 02	Black	3000K
	F58 G31 06	Ocean	3000K
	F58 G31 32	Coral	3000K
	F58 G31 37	Concrete	3000K
	F58 G31 43	Lawn green	3000K
	F58 G31 47	Honey	3000K
	F58 G32 01	White	2700K
	F58 G32 02	Black	2700K
	F58 G32 06	Ocean	2700K
	F58 G32 32	Coral	2700K
	F58 G32 37	Concrete	2700K
	F58 G32 43	Lawn green	2700K
	F58 G32 47	Honey	2700K

Catalogue



01 White · 02 Black · 06 Ocean · 32 Coral · 37 Concrete · 43 Lawn green · 47 Honey

Upon request:
more than 50 finishes available



Akoya F61

Filippo Protasoni
2021

Family Wall

Pendant → pg. 18

Akoya nasce dall'evoluzione geometrica della circonferenza, che prima si fa superficie bidimensionale – il cerchio, e poi volume tridimensionale – la sfera. Dall'interazione di queste due geometrie si sviluppa l'immagine di una conchiglia che custodisce una pregiata perla luminosa al suo interno. Proprio come le perle, simbolo di perfezione e conosciute per il loro notevole grado di lucentezza, anche la collezione di lampade Akoya dimostra la sua naturale semplicità e la capacità di dialogare con il contesto architettonico in cui si trovano.

La versione a parete è disponibile con diametro 30cm. È realizzata da due dischi metallici in finitura ad effetto raggrinzato, che contengono un diffusore in vetro soffiato. La sorgente luminosa è a LED ad alta efficienza con alimentatore integrato, dimmerabile 1..10V, DALI o ON/OFF.

Akoya was born from the geometric evolution of the circumference, which first became a two-dimensional surface – the circle – and then a three-dimensional volume – the sphere. The interaction of these two geometries gave rise to the image of a shell housing a precious luminous pearl inside. Just like pearls, a symbol of perfection and known for their remarkable lustre, the Akoya collection also showcases its natural simplicity and ability to reflect its architectural environment.


The wall version is available in 30 cm diameter. It consists of two metal discs with a textured, wrinkle-effect finish, enclosing a blown glass diffuser. The light source is a high-efficiency LED with integrated driver, available with 1–10V, DALI or ON/OFF dimming.

Dimension	Ø30cm
Materials	Glass – Metal
Light Source	LED1x7W – 2700K/3000K – CRI 90
Dimming	1..10V, DALI or ON/OFF
Finishes	White, Anthracite, Corten, Bronze

Akoya

F61

Wall




LED 220-240V - 1x7W	F61 D11 01	White	3000K
3000K or 2700K or 4000K	F61 D11 21	Anthracite	3000K
622 lm, CRI 90+	F61 D11 25	Corten	3000K
Dimm. 1..10V	F61 D11 76	Bronze	3000K
IP40	F61 D12 01	White	2700K
Net weight: 3,20 kg	F61 D12 21	Anthracite	2700K
	F61 D12 25	Corten	2700K
Included: LED, Dimmable electronic driver	F61 D12 76	Bronze	2700K
	F61 D13 01	White	4000K
	F61 D13 21	Anthracite	4000K
	F61 D13 25	Corten	4000K
	F61 D13 76	Bronze	4000K

LED 220-240V - 1x7W	F61 D21 01	White	3000K
3000K or 2700K or 4000K	F61 D21 21	Anthracite	3000K
622 lm, CRI 90+	F61 D21 25	Corten	3000K
Dimm. DALI	F61 D21 76	Bronze	3000K
IP40	F61 D22 01	White	2700K
Net weight: 3,20 kg	F61 D22 21	Anthracite	2700K
	F61 D22 25	Corten	2700K
Included: LED, Dimmable electronic driver	F61 D22 76	Bronze	2700K
	F61 D23 01	White	4000K
	F61 D23 21	Anthracite	4000K
	F61 D23 25	Corten	4000K
	F61 D23 76	Bronze	4000K

LED 220-240V - 1x7W	F61 D31 01	White	3000K
3000K or 2700K or 4000K	F61 D31 21	Anthracite	3000K
622 lm, CRI 90+	F61 D31 25	Corten	3000K
Dimm. ON/OFF	F61 D31 76	Bronze	3000K
IP40	F61 D32 01	White	2700K
Net weight: 3,20 kg	F61 D32 21	Anthracite	2700K
	F61 D32 25	Corten	2700K
Included: LED, Electronic driver	F61 D32 76	Bronze	2700K
	F61 D33 01	White	4000K
	F61 D33 21	Anthracite	4000K
	F61 D33 25	Corten	4000K
	F61 D33 76	Bronze	4000K

Catalogue



01 White · 21 Anthracite · 25 Corten · 76 Bronze

Upon request:
other finishes available



Comet
F67

Signorotto+
Partners
2023



Family Wall

Ispirata al fenomeno astronomico di cui porta il nome, Comet è costituita da due elementi: il punto luce che evoca il nucleo di una cometa e il paralume allungato che ricorda la coda luminosa di uno dei corpi celesti più caratteristici e affascinanti. La luce, così direzionata, forma una delicata scia e dona all'ambiente un effetto luminoso soffuso e avvolgente. È ideale per ambienti pubblici come negozi o sale di attesa ma anche per ambienti privati come camere di hotel o soggiorni dal design minimale.

Il diffusore è una sfera di vetro soffiato che viene avvolta da un paralume a U di alluminio verniciato antracite, bianco, bronzo o oro regale.
La sorgente luminosa è a lampadina G9 LED ad alta efficienza e dimmerabile a taglio di fase.

Inspired by the astronomical phenomenon from which it takes its name, Comet consists of two elements: the light point that evokes the nucleus of a comet and the elongated lampshade that recalls the luminous tail of his most characteristic and fascinating celestial body. When the light is directed in this way, it forms a delicate wake that gives the space a soft, enveloping luminous effect that makes it ideal for public spaces like shops or waiting rooms but also private spaces like hotel bedrooms or rooms of minimalist design.


The diffuser is a sphere of blown glass wrapped by a U-shaped aluminium lampshade painted in the colours anthracite, white, bronze or royal gold.
The light source is a high-efficiency and dimmable phase-cut G9 LED bulb.

Dimension	L 40cm x h. 9,7cm
Materials	Glass – Aluminium
Light Source	G9 LED 1x4,5W
Dimming	Phase cut
Finishes	White, Anthracite, Bronze, Royal gold

Comet

F67

Wall



G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 1,30 kg

Not included: Bulb

F67 D01 01	White
F67 D01 12	Royal gold
F67 D01 21	Anthracite
F67 D01 76	Bronze

Catalogue



Upon request:
other finishes available



Lancetta
F70

Mario Alessiani
2023



Family Wall

Lancetta è una applique con due vite: da spenta è un oggetto che convive con grande minimalismo e rigore geometrico negli ambienti in cui è posta per poi sorprendere, quando viene accesa, aggiungendo un fascio di luce circolare proiettato a muro che ne completa la forma. Lancetta nasce infatti dalla volontà di valorizzare il minimalismo della struttura con un effetto luminoso deciso e sorprendente. Il design minimalista della lampada e la sua piccola dimensione, consentono di utilizzarla in molteplici contesti pubblici e privati, in particolar modo nei corridoi, ingressi o lunghe corsie.

Lancetta è disponibile in diverse finiture: bianco, antracite, bronzo e oro regale. Lancetta è composta da due parti principali: la struttura in alluminio a forma di L e la fonte luminosa installata sulla parte superiore della struttura, l'ottica è stata progettata ad hoc per poter ottenere un cerchio perfetto sulla parete. La sorgente luminosa è a LED ad alta efficienza.

Lancetta is a wall lamp with two lives: when it is off, it is an object that coexists with the spaces where it is placed, with great minimalism and geometric rigour. When it is turned on, it gives a surprise by adding a circular pool of light that it projects on the wall, completing the shape. In fact, Lancetta was born from the desire to enhance the minimalism of its structure with a decisive, surprising luminous effect. The minimalist design of this lamp, and its small size, mean it can be used in many different public and private settings, particularly corridors, entrances, or long passages.


Lancetta is available in different finishes: white, anthracite, bronze, and royal gold. The lamp consists of two main parts: the L-shaped aluminium structure and the light source integrated into the upper part; the optics are designed specifically to cast a perfect circle on the wall. The light source is high efficiency LED.

Dimension	L 4cm x h. 18,5cm x 10cm
Materials	Aluminium
Light Source	LED 1x7W – 2700K/3000K – CRI 80+
Dimming	ON/OFF
Finishes	White, Royal gold, Anthracite, Bronze

Lancetta

F70

Wall




LED 220-240V - 1x7W
3000K or 2700K
690 lm, CRI 80+
Dimm. ON/OFF
IP40
Net weight: 0,30 kg

Included: LED

F70 D01 01	White	3000K
F70 D01 12	Royal gold	3000K
F70 D01 21	Anthracite	3000K
F70 D01 76	Bronze	3000K
F70 D02 01	White	2700K
F70 D02 12	Royal gold	2700K
F70 D02 21	Anthracite	2700K
F70 D02 76	Bronze	2700K

Catalogue



Upon request:
other finishes available



Santo
F74

Atelier Biagetti
2025



Nella versione a parete, Santo riduce il sistema alla sua espressione più essenziale: un segno luminoso verticale in cui il vetro soffiato e la struttura metallica si incontrano in un equilibrio grafico e raffinato.
Pensata per essere utilizzata singolarmente o all'interno di composizioni più articolate, la lampada porta sulla parete il carattere materico e scultoreo della collezione, offrendo al tempo stesso una luce diretta e d'accento. La versione a parete è disponibile con sorgente LED 24V, dimmerabile.

In the wall version, Santo reduces the system to its most essential expression: a vertical luminous line in which blown glass and metal structure meet in a refined graphic balance. Designed to be used individually or as part of more articulated compositions, the wall lamp brings the collection's material and sculptural character to the wall while providing a direct, accenting light.
The wall version is available with a dimmable 24V LED source.

Family Wall

Pendant → pg. 84
Floor → pg. 132


Dimension	Ø7,9cm, d.9,9cm h.48,3cm
Materials	Glass – Metal
Light Source	LED 230V – 6W + 3W 25°– 2700K/3000K – CRI90+
Dimming	Dimmable
Finishes	White, Black, Pink, Light Blue, Silver, Gold

Santo

F74

Compose and costumize your Santo lamp

Wall



LED 230V - 6W+3W 25°
2700K or 3000K
450lm+377lm, CRI 90+
Dimmable
IP40
Net weight: 1,28 kg

Included: LED, Electronic driver

Collection	Flange	K	Screws	Structure
F74 D01	**01** White	**27** 2700K	**27** Silver	**01** White
	02 Black	**30** 3000K	**76** Bronze	**02** Black
	07 Pink			**07** Pink
	10 Light blue			**10** Light blue
	33 Silver			**33** Silver
	79 Gold			**79** Gold

Example: **F74 D01 33 30 27 10**

Catalogue


01 White · 02 Black · 07 Pink · 10 Light Blue · 33 Silver · 79 Gold

Screws

27 Silver anodized
76 Bronze anodized

Upon request:
other finishes available





Wall/Ceiling

162 Metro
168 Olympic
172 Posillipo

Metro
F49

Technical Design
2021



Family Wall/Ceiling

Metro è un gesto grafico luminoso: una semplice linea retta, definita da un essenziale profilo metallico, pensata per portare la luce in un'ampia varietà di contesti architettonici. Il progetto risponde a un'esigenza comune negli spazi contemporanei e tradizionali: illuminare ambienti di grandi dimensioni con soffitti alti, a travi a vista, voltati o decorativi, spesso privi di punti luce. Metro offre una soluzione discreta ma di forte impatto, combinando funzionalità ed eleganza minimale.

Disponibile nelle lunghezze di 6 e 12 m, o nella versione con diffusore in silicone da 6 m, il profilo può essere tagliato a misura direttamente in cantiere. La sorgente LED continua garantisce un'illuminazione uniforme e può essere configurata per una luce diretta o indiretta. Gli snodi terminali consentono installazioni diagonali, mentre un apposito accessorio permette di realizzare configurazioni curve. Finiture disponibili: acciaio inox lucido, ottone e cromo nero.




Metro is a luminous graphic gesture: a simple, straight line formed by an essential metal profile, designed to bring light to a wide range of architectural settings. The concept addresses a common challenge in both contemporary and traditional interiors: illuminating large spaces with high, exposed-beam, vaulted or decorative ceilings, often without existing light points. Metro responds with a discreet yet striking solution, combining functional performance with a minimal, elegant aesthetic.

Available in 6 m and 12 m lengths, or 6 m for the version with silicone diffuser, the metal profile can be cut to size on site. The continuous LED source provides uniform illumination and can be configured for direct or indirect light. End joints allow diagonal installations, while a dedicated accessory enables curved configurations. Finishes include polished stainless steel, brass and black chrome.

Dimension	L 626cm, L 1226cm
Materials	Stainless steel – Silicon
Light Source	LED 24Vdc 1x116W, 1x232W 2700K/3000K – CRI90+
Dimming	Dimmable
Finishes	Polished stainless steel, Brass-plated, Black chrome

Metro

F49

Wall/Ceiling 	LED 24Vdc - 1x116W 3000K or 2700K 1632 lm, CRI 90 IP20 Net weight: 1,50 kg *Included: LED strip IP65, 2 wall attachments, 6m metal strip* *Note: The strip can be cut to measure*	F49 G01 24	Black chrome	3000K	Metal strip
		F49 G01 35	Polished stainless steel	3000K	Metal strip
		F49 G01 19	Brass-plated	3000K	Metal strip
		F49 G02 24	Black chrome	2700K	Metal strip
		F49 G02 35	Polished stainless steel	2700K	Metal strip
		F49 G02 19	Brass-plated	2700K	Metal strip
Wall/Ceiling 	LED 24Vdc - 1x116W 3000K or 2700K 1632 lm, CRI 90+ IP20 Net weight: 1,50 kg *Included: LED strip, 2 wall attachments, 6m metal strip, silicone cover* *Note: The strip can be cut to measure*	F49 G21 24	Black chrome	3000K	Metal strip with silicone cover
		F49 G21 35	Polished stainless steel	3000K	Metal strip with silicone cover
		F49 G21 19	Brass-plated	3000K	Metal strip with silicone cover
		F49 G22 24	Black chrome	2700K	Metal strip with silicone cover
		F49 G22 35	Polished stainless steel	2700K	Metal strip with silicone cover
		F49 G22 19	Brass-plated	2700K	Metal strip with silicone cover
Wall/Ceiling 	LED 24Vdc - 1x232W 3000K or 2700K CRI 90+ IP20 Net weight: 2,50 kg *Included: LED strip IP65, 2 wall attachments, 12m metal strip* *Note: The strip can be cut to measure*	F49 G03 35	Polished stainless steel	3000K	
		F49 G04 35	Polished stainless steel	2700K	

Catalogue



24 Black Crome



35 Polished stainless steel



19 Brass-plated








Upon request:
other finishes available






Metro

F49

Accessory 	Net weight: 2,5 kg *Included: 2 wall attachments* *Note: For G21 and G22*	F49 Z08 24 F49 Z08 35 F49 Z08 19	Black chrome Polished stainless steel Brass-plated
Accessory 	Net weight: 1,2 kg *Included: 2 wall attachments* *Note: For G01, G02, G03 and G04*	F49 Z07 24 F49 Z07 35 F49 Z07 19	Black chrome Polished stainless steel Brass-plated
Accessory 	Net weight: 0,4 kg *Note: Support bracket for curving the strip*	F49 Z01	
Accessory 	Net weight: 0,6 kg *Note: Support bracket for curving the strip*	F49 Z05	
Canopy 	1..10V IP20 Net weight: 2 kg *Included: Dimmable driver until 12m, canopy* *Note: Canopy with 1..10V dimmable driver 240W 24Vdc*	F49 M01 35	Polished stainless steel
	IP20 Net weight: 2 kg *Included: No dimmable driver until 6m, canopy* *Note: Canopy with no dimmable driver 150W 24Vdc*	F49 M02 35	Polished stainless steel
Driver 	1..10V Net weight: 1,3 kg *Note: 1..10 dimmable driver 240W 24Vdc*	F49 Z03	
Driver 	Net weight: 0,9 kg *Note: No dimmable driver 150W 24Vdc*	F49 Z02	

Olympic
F45

Lorenzo Truant
2021



Family Wall/Ceiling

Pendant → pg. 64
Table → pg. 110

Un anello di luce ha il fascino olimpico di una forma aerea e conchiusa, a sé bastante. Un singolo anello permette di illuminare gli spazi proiettando la sua luce nello spazio come se agisse una forza centrifuga. Ma quando due o più anelli di luce si concatenano tra loro si forma una interdipendenza tra gli elementi luminosi che permette di creare una gerarchia di luci la quale rende lo spazio intellegibile. In questa grammatica della luce fatta di monosillabi circolari si possono creare olimpiche frasi negli ampi spazi del contemporaneo.

La lampada da parete e soffitto Olympic ha un design molto lineare e semplice. Il diffusore circolare è disponibile in diverse misure con strip LED lungo tutta la sua lunghezza. La lampada si adatta perfettamente per ambienti moderni e tradizionali su abitazione o contesti lavorativi. La lampada da parete da 60 cm è disponibile anche con kit emergenza.

A self-contained light ring with an aerial shape, inspired by the Olympic rings. A single ring can illuminate the environment by projecting its light as if moved by centrifugal force. When one or more light rings are connected to one another, the luminous sources interconnect creating a hierarchy of lights that clarifies the space. This light structure comprising circular blocks creates Olympic constructions in large contemporary spaces.

The Olympic wall and ceiling lamp has a simple, linear design. The circular diffuser is available in different sizes with LED strips along its entire length. The lamp is perfectly suited for both modern and traditional environments, in living quarters or working environments. The 60 cm wall lamp is also available with an emergency kit.

Dimension	Ø60cm, Ø80cm, Ø108cm, Ø138cm
Materials	Aluminium – Plastic – Concrete
Light Source	LED 1x36W (Ø60cm), 1x48W (Ø80cm), 1x65W (Ø108cm), 1x83W (Ø138cm)
Dimming	1..10V, DALI, PUSH
Finishes	White, Black, Bronze

Olympic

F45

Wall/Ceiling	LED 220-240V - 1x36W 3000K or 2700K 3260 lm, CRI 90+ Dimm. PUSH 1..10V DALI IP40 Net weight: 2,00 kg *Included:LED, Dimmable electronic driver* *Note: The front disc can be customized with graphic symbols or logos*	F45 G21 01 F45 G21 02 F45 G21 76 F45 G22 01 F45 G22 02 F45 G22 76	White Black Bronze White Black Bronze	3000K 3000K 3000K 2700K 2700K 2700K	
Wall/Ceiling	LED 220-240V - 1x36W 3000K or 2700K 3260 lm, CRI 90+ IP40 Net weight: 2,00 kg *Included: LED, Electronic driver, Emergency kit 1hr*	F45 G71 01 F45 G71 02 F45 G71 76 F45 G72 01 F45 G72 02 F45 G72 76	White Black Bronze White Black Bronze	3000K 3000K 3000K 2700K 2700K 2700K	With 1h emergency kit With 1h emergency kit With 1h emergency kit With 1h emergency kit With 1h emergency kit With 1h emergency kit
Wall/Ceiling	LED 220-240V - 1x48W 3000K or 2700K 4475 lm, CRI 90+ Dimm. PUSH 1..10V DALI IP40 Net weight: 2,55 kg *Included: LED, Dimmable electronic driver* *Note: The front disc can be customized with graphic symbols or logos*	F45 G23 01 F45 G23 02 F45 G23 76 F45 G24 01 F45 G24 02 F45 G24 76	White Black Bronze White Black Bronze	3000K 3000K 3000K 2700K 2700K 2700K	
Wall/Ceiling	LED 220-240V - 1x65W 3000K or 2700K 6120 lm, CRI 90+ Dimm. PUSH 1..10V DALI IP40 Net weight: 3,20 kg *Included: LED, Dimmable electronic driver* *Note: The front disc can be customized with graphic symbols or logos*	F45 G25 01 F45 G25 02 F45 G25 76 F45 G26 01 F45 G26 02 F45 G26 76	White Black Bronze White Black Bronze	3000K 3000K 3000K 2700K 2700K 2700K	
Wall/Ceiling	LED 220-240V - 1x83W 3000K or 2700K 7900 lm, CRI 90+ Dimm. PUSH 1..10V DALI IP40 Net weight: 3,84 kg *Included: LED, Dimmable electronic driver* *Note: The front disc can be customized with graphic symbols or logos*	F45 G27 01 F45 G27 02 F45 G27 76 F45 G28 01 F45 G28 02 F45 G28 76	White Black Bronze White Black Bronze	3000K 3000K 3000K 2700K 2700K 2700K	

Catalogue

01 White

02 Black


76 Bronze

Upon request:
other finishes available



Posillipo
F75

Robert Stadler
2025



Family Wall/Ceiling

Pendant → pg. 76
Floor → pg. 124

Robert Stadler presenta Posillipo, un sistema di illuminazione che inganna l'occhio dello spettatore, facendo apparire i cavi elettrici identici ai distanziatori orizzontali. Questo genera una griglia omogenea che sfida l'idea tradizionale di lampada a sospensione. Il sistema può essere esteso in entrambe le direzioni, dando vita sia a corpi illuminanti singoli sia a installazioni luminose su larga scala.

Nella versione a parete e soffitto, Posillipo diventa un sistema aperto e liberamente componibile.
Il modulo può essere utilizzato singolarmente oppure combinato con gli elementi di connessione per costruire un percorso luminoso personalizzato, seguendo la geometria e le caratteristiche dello spazio. Linee, angoli e sviluppi possono così essere definiti liberamente, trasformando la luce in un segno grafico che attraversa pareti e soffitti.

Robert Stadler introduces Posillipo, a lighting system that tricks the eye of the beholder, as the electrical cables appear to be the same as the horizontal spacers. This forms a homogeneous grid that challenges the traditional idea of a pendant light. The system can therefore be seamlessly extended in either direction to create both individual luminaires and large scale lighting installations.

*In the wall and ceiling version, Posillipo becomes an open and freely configurable lighting system.
The module can be used individually or combined with connecting elements to create a personalised lighting path, following the geometry and characteristics of the space. Lines, angles and layouts can therefore be freely defined, transforming light into a graphic element that flows across walls and ceilings.*

Dimension	Ø10cm x 5,3cm
Materials	Frosted pyrex glass – Metal – Textile
Light Source	LED 24V – 1 x 3W – 2700K/3000K
Dimming	1..10V, DALI, PUSH
Finishes	Black metal, Beige textile cable

Posillipo

F75

Wall/Ceiling	LED 24V - 2x3W 3000K or 2700K 392 lm, CRI 90+ Dimm. Dimmable IP40 Net weight: 0,60 kg *Included: LED* *Not included: Power supply, Dimmer*	F75 D01 Y02 16 F75 D02 Y02 16	Sand beige Sand beige	3000K 2700K
Accessory	IP40 Net weight: 0,15 kg *Included: LED* *Note: cable for connection with stem*	F75 K01 16	Sand Beige	
Spot Light	LED 24Vdc - 1x3W 3000K or 2700K 196 lm, CRI 90+ Dimmable IP40 Net weight: 0,15 kg *Included: LED* *Not included: Power supply, Dimmer*	F75 L01 Y02 01 F75 L02 Y02 01	White White	3000K 2700K
Canopy	IP40 Net weight: 0,15 kg *Not included: Spots and driver* *Note: Power supply canopy for compositions*	F75 M01 02	Black	
Accessory	Net weight: 0,01 kg *Note: Spool for wire support, possibility to wind the cable*	F75 Z01 C1 00	Transparent	
Accessory	Net weight: 0,12 kg *Note: Cable for connection and compositions, available by meter*	F75 Z02 16	Sand Beige	

Utility → pg. 82

Catalogue

16 Sand Beige

Upon request:
other finishes available



Contact

Italy
via Vicenza, 32
31050, Vedelago - Treviso
tel +39 0423 4848
fax +39 0423 484395
www.fabbian.com

Sales
italia@fabbian.com
export@fabbian.com

Mkt & Com
marketing@fabbian.com

Usa & Canada
Fabbian Usa Corp.
307 W 38th St Ste 1103
New York, NY 10018, Usa
ph. +1 646 518 4160
fax +1 646 970 3075
www.fabbian.us

Sales
usa@fabbian.com
canada@fabbian.com

Mkt & Com
marketing.usa@fabbian.com

Graphic Design
Pietro Carlesso

Images production
Alberto Rigo

Questo catalogo non può essere copiato, scansionato o riprodotto con alcun mezzo.
Tutti i diritti sono riservati.
Immagini, descrizioni, quotazioni, dimensioni e dati tecnici sono da considerarsi puramente indicativi.
Pur mantenendo le caratteristiche fondamentali del prodotto, il produttore si riserva il diritto di apportare modifiche in qualsiasi momento con l'unico scopo di miglioramento.

This catalogue cannot be copied, scanned or reproduced by any means.
All rights reserved.
Pictures, descriptions, quoting, dimensions and technical datas have to be considered as purely indicative.
While maintaining the basic characteristic of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.

Two points,
the light comes on

fabbian.com